

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsSpecSaleInfo = Server.CreateObject("ADODB.Recordset")
6  rsSpecSaleInfo.ActiveConnection = MM_dbEPakRecords_STRING
7  rsSpecSaleInfo.Source = "SELECT * FROM specSale"
8  rsSpecSaleInfo.CursorType = 0
9  rsSpecSaleInfo.CursorLocation = 2
10 rsSpecSaleInfo.LockType = 3
11 rsSpecSaleInfo.Open()
12 rsSpecSaleInfo_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 Dim Repeat1_numRows
26 Repeat1_numRows = -1
27 Dim Repeat1_index
28 Repeat1_index = 0
29 rsSpecSaleInfo_numRows = rsSpecSaleInfo_numRows + Repeat1_numRows
30 %>
31
32 <!--#include file="../../../global.asp" -->
33 <html>
34 <head>
35 <title>Special Sales</title>
36 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
37 </head>
38 <body bgcolor="#<%= (EP_bgcolor) %>"
39     text="#<%=EP_text%>"
40     link="#<%=EP_link%>"
41     vlink="#<%=EP_vlink%>"
42     alink="#<%=EP_alink%>"
43     leftmargin="3"
44     topmargin="0"
45     marginwidth="0"
46     marginheight="0"
47     background="../../../<%= (EP_bgImg) %>">
48 <!--#include file="../../../banner.asp" -->
49 <br>
50 <center>
51     <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding=
52     "0">
53         <tr>
54             <td>
55                 <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
56                     <tr>
57                         <td align="center">
58                             <%
59                             'check to see which Title Text file is selected
60                             cycleDone = false
61                             Dim titleTextFile
62                             While (NOT rsTitleText.EOF)
63
64                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
65                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
66                                 End If
67                                 rsTitleText.MoveNext
68                             Wend

```

```

69      %>
70      <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do
wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height
="40">
71          <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P
ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Special Sales!</FONT></P>">
72          <param name=wmode value=transparent>
73          <param name=quality value=high>
74          <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'
><FONT COLOR='#<%=EP_text%>'>Special Sales!</FONT></P>" quality=high pluginspage="http://www.m
acromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x
-shockwave-flash" width="480" height="40">
75      </embed>
76      </object> </td>
77  </tr>
78  <tr>
79      <td>
80          <hr color="#<%=EP_bordercolor%>">
81      </td>
82  </tr>
83  <%
84  While ((Repeat1__numRows <> 0) AND (NOT rsSpecSaleInfo.EOF))
85  %>
86      <tr>
87          <td>
88              <div align="center"><IMG SRC="../../../images/catalog/<%= (rsSpecSaleInfo.Fields.Ite
m("EPak_SpecSaleIMG").Value) %>"></div>
89          </td>
90      </tr>
91      <tr>
92          <%
93          specSaleStr = rsSpecSaleInfo.Fields.Item("EPak_SpecSaleTXT").Value
94
95          specSaleSplit = Split(specSaleStr, VBCrLf)
96          specSaleJoin = Join(specSaleSplit, "<BR>")
97
98          %>
99              <td><font face="sans-serif" size="2"><%= (specSaleJoin) %><br>
00              &nbsp; </font></td>
01      </tr>
02      <tr>
03          <td>
04              <hr color="#<%=EP_bordercolor%>">
05          </td>
06      </tr>
07      <%
08      Repeat1__index=Repeat1__index+1
09      Repeat1__numRows=Repeat1__numRows-1
10      rsSpecSaleInfo.MoveNext()
11  Wend
12  %>
13      <tr>
14          <td>
15              <div align="center"> </div>
16          </td>
17      </tr>
18  </table>
19  </td>
20  </tr>
21  </table>
22 </center>
23 </body>
24 </html>
25 <%
26 rsSpecSaleInfo.Close()
27 %>
28 <%
29 rsTitleText.Close()
30 %>

```



```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../Connections/dbEPakLibs.asp" -->
4  <%
5  set specEventInfo = Server.CreateObject("ADODB.Recordset")
6  specEventInfo.ActiveConnection = MM_dbEPakRecords_STRING
7  specEventInfo.Source = "SELECT * FROM specEvent"
8  specEventInfo.CursorType = 0
9  specEventInfo.CursorLocation = 2
10 specEventInfo.LockType = 3
11 specEventInfo.Open()
12 specEventInfo_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 Dim Repeat1_numRows
26 Repeat1_numRows = -1
27 Dim Repeat1_index
28 Repeat1_index = 0
29 specEventInfo_numRows = specEventInfo_numRows + Repeat1_numRows
30 %>
31
32 <!--#include file="../../global.asp" -->
33 <html>
34 <head>
35 <title>Special Events</title>
36 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
37 </head>
38 <body bgcolor="#<%=EP_bgcolor%>"
39     text="#<%=EP_text%>"
40     link="#<%=EP_link%>"
41     vlink="#<%=EP_vlink%>"
42     alink="#<%=EP_alink%>"
43     leftmargin="3"
44     topmargin="0"
45     marginwidth="0"
46     marginheight="0"
47     background="../../<%=EP_bgImg%>">
48 <!--#include file="../../banner.asp" -->
49 <br>
50 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
51 >
52     <tr>
53         <td>
54             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
55                 <tr>
56                     <td align="center">
57                         <%
58                         'check to see which Title Text file is selected
59                         cycleDone = false
60                         Dim titleTextFile
61
62                         While (NOT rsTitleText.EOF)
63
64                             If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
65                                 titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
66                             End If
67                             rsTitleText.MoveNext
68                         Wend
69                         %>

```

```

69         <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
40">
70             <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P A
LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Special Events!</FONT></P>">
71             <param name=wmode value=transparent>
72             <param name=quality value=high>
73             <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><
FONT COLOR='#<%=EP_text%>'>Special Events!</FONT></P>" quality=high pluginspage="http://www.ma
cromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="480" height="40">
74             </embed>
75         </object> </td>
76     </tr>
77     <tr>
78         <td>
79             <hr color="#<%=EP_bordercolor%>">
80         </td>
81     </tr>
82     <%
83 While ((Repeat1__numRows <> 0) AND (NOT specEventInfo.EOF))
84 %>
85         <tr>
86             <td>
87                 <div align="center"><IMG SRC="../../../images/catalog/<%= (specEventInfo.Fields.Item("
EPak_SpecEventIMG").Value) %>"></div>
88             </td>
89         </tr>
90     <tr>
91     <%
92 specEventStr = specEventInfo.Fields.Item("EPak_SpecEventTXT").Value
93
94 specEventSplit = Split(specEventStr, VBCrLf)
95 specEventJoin = Join(specEventSplit, "<BR>")
96
97 %>
98         <td><font face="sans-serif" size="2"><%= (specEventJoin) %><br>
99         &nbsp; </font></td>
100    </tr>
101    <tr>
102        <td>
103            <hr color="#<%=EP_bordercolor%>">
104        </td>
105    </tr>
106    <%
107 Repeat1__index=Repeat1__index+1
108 Repeat1__numRows=Repeat1__numRows-1
109 specEventInfo.MoveNext()
110 Wend
111 %>
112     <tr>
113         <td>
114             <div align="center"> </div>
115         </td>
116     </tr>
117 </table>
118 </td>
119 </tr>
120 </table>
121 </body>
122 </html>
123 <%
124 specEventInfo.Close()
125 %>
126 <%
127 rsTitleText.Close()
128 %>
129

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  If (Request.Form("checkout") <> "") Then
6
7      Response.Redirect("processInfo.asp")
8
9  End If
10
11 %>
12 <%
13 set rsProducts = Server.CreateObject("ADODB.Recordset")
14 rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
15 rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice, EP_PshipPrice FROM EP_catalog"
16 rsProducts.CursorType = 0
17 rsProducts.CursorLocation = 2
18 rsProducts.LockType = 3
19 rsProducts.Open()
20 rsProducts_numRows = 0
21 %>
22 <%
23 set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
24 rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
25 rsAdminInfo.Source = "SELECT EP_clientBizName, EP_clientAddress1, EP_clientCity, EP_clientStat
e, EP_clientZIP, EP_clientPhone1, EP_clientEmail1 FROM adminInfo"
26 rsAdminInfo.CursorType = 0
27 rsAdminInfo.CursorLocation = 2
28 rsAdminInfo.LockType = 3
29 rsAdminInfo.Open()
30 rsAdminInfo_numRows = 0
31 %>
32 <%
33 set rsTitleText = Server.CreateObject("ADODB.Recordset")
34 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
35 rsTitleText.Source = "SELECT * FROM titleText"
36 rsTitleText.CursorType = 0
37 rsTitleText.CursorLocation = 2
38 rsTitleText.LockType = 3
39 rsTitleText.Open()
40 rsTitleText_numRows = 0
41 %>
42 <%
43     ' cart_qty is numeric field
44     ' prod_id is ID field (hidden)
45 If (Session("QTY") <> "" AND Session("ID") <> "") Then
46     itemsStr = Session("ID")
47     qtyStr = Session("QTY")
48
49     splitItems = Split(itemsStr, "|")
50     splitQTY = Split(qtyStr, "|")
51
52 End If
53
54 If (Session("QTY") = "") Then
55     noItems = true
56 End If
57
58 Dim totalCost
59 %>
60 <!--#include file="../../../global.asp" -->
61 <html>
62 <head>
63 <title>Checkout</title>
64 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
65 </head>
66 <body bgcolor="#<%= (EP_bgcolor) %>"
67     text="#<%=EP_text%>"
68     link="#<%=EP_link%>"

```

\\EPack Startup Files\\templates\\1\\receipt.asp: 1/4

```

69 vlink="#<%=EP_vlink%>"
70 alink="#<%=EP_alink%>"
71 leftmargin="3"
72 topmargin="0"
73 marginwidth="0"
74 marginheight="0"
75 background=".../../<%= (EP_bgImg) %>"
76 <!--#include file=".../../banner.asp" -->
77 <br>
78 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0" cellspacing="0">
79 <tr>
80 <td>
81 <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
82 <tr>
83 <td align="center">
84 <div align="center"> <font face="sans-serif" size="2"><b>
85 <%
86 'check to see which Title Text file is selected
87 cycleDone = false
88 Dim titleTextFile
89
90 While (NOT rsTitleText.EOF)
91
92 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
93 titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
94 End If
95 rsTitleText.MoveNext
96
97 Wend
98 <%
99 <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
100 <param name="movie" value=".../..banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Your Receipt</FONT></P>">
101 <param name=wmode value=transparent>
102 <param name=quality value=high>
103 <embed src=".../..banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Your Receipt</FONT></P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">
104 </embed>
105 </object></b></font></div>
106 </td>
107 </tr>
108 <tr>
109 <td>
110 <hr color="#<%=EP_bordercolor%>">
111 </td>
112 </tr>
113 <tr>
114 <td>
115 <div align="center"><font face="sans-serif" size="2">Thank you, <%=Request("userName") %><br>
116 for shopping with <%= (rsAdminInfo.Fields.Item("EP_clientBizName").Value) %>.<br>
117 <br>
118 </div>
119 </td>
120 </tr>
121 <tr>
122 <td>
123 <div align="center">
124 <table width="100%" border="0" cellpadding="1" cellspacing="1">
125 <tr>
126 <td width="5%"><b><font face="sans-serif" size="2">Quantity</font></b></td>
127 <td width="62%"><b><font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&Name of Item(s)</font></b></td>
128 <td width="14%"><b><font face="sans-serif" size="2">Price</font></b></td>
129 <td width="14%"><b><font face="sans-serif" size="2">S&H</font></b></td>

```



```

91         <%=rsAdminInfo.Fields.Item("EP_clientEmail1").Value)%> </font><br>
92         <a href="javascript:print();" ><font face="sans-serif" size="2">Click
93         here to print a copy of this page.</font></a></div>
94     </td>
95 </tr>
96 <tr>
97     <td>
98         <hr color="#<%=EP_bordercolor%>">
99     </td>
00 </tr>
01 <tr>
02     <td>
03         <div align="center"> </div>
04     </td>
05 </tr>
06 </table>
07 </td>
08 </tr>
09 </table>
10 </body>
11 </html>
12 <%
13 rsProducts.Close()
14 %>
15 <%
16 rsTitleText.Close()
17 %>
18 <%
19 rsAdminInfo.Close()
20
21 ' Clears Session variables to empty shopping cart
22 Session("ID") = ""
23 Session("QTY") = ""
24
25 %>
26

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../Connections/dbEPakOrders.asp" -->
3  <%
4  ' *** Edit Operations: declare variables
5
6  MM_editAction = CStr(Request("URL"))
7  If (Request.QueryString <> "") Then
8      MM_editAction = MM_editAction & "?" & Request.QueryString
9  End If
10
11  ' boolean to abort record edit
12  MM_abortEdit = false
13
14  ' query string to execute
15  MM_editQuery = ""
16  %>
17  <%
18  ' *** Insert Record: set variables
19
20  If (CStr(Request("MM_insert")) <> "") Then
21
22      MM_editConnection = MM_dbEPakOrders_STRING
23      MM_editTable = "orderInfo"
24      MM_editRedirectUrl = "receipt.asp?userName=" & Request.Form("billName")
25      MM_fieldsStr = "card_type|value|cardNum|value|cardExp|value|billName|value|billAddr|value|billCity|value|billState|value|BillZIP|value|billPhone|value|billEmail|value|altPhone|value|altName|value|altAddr|value|altCity|value|altState|value|altZIP|value|orderedItems|value|orderedQTY|value"
26      MM_columnsStr = "EPak_odrCCType|',none,'|EPak_odrCC|',none,'|EPak_odrCCexp|',none,'|EPak_odrName|',none,'|EPak_odrBillAddr|',none,'|EPak_odrBillCity|',none,'|EPak_odrBillST|',none,'|EPak_odrBillZIP|',none,'|EPak_odrBillPhone|',none,'|EPak_odrEmail|',none,'|EPak_odrAltPhone|',none,'|EPak_odrAltName|',none,'|EPak_odrAltAddr|',none,'|EPak_odrAltCity|',none,'|EPak_odrAltST|',none,'|EPak_odrAltZIP|',none,'|EPak_ItemsAr|',none,'|EPak_ItemsQTY|',none,'"
27
28      ' create the MM_fields and MM_columns arrays
29      MM_fields = Split(MM_fieldsStr, "|")
30      MM_columns = Split(MM_columnsStr, "|")
31
32      ' set the form values
33      For i = LBound(MM_fields) To UBound(MM_fields) Step 2
34          MM_fields(i+1) = CStr(Request.Form(MM_fields(i)))
35      Next
36
37      ' append the query string to the redirect URL
38      If (MM_editRedirectUrl <> "" And Request.QueryString <> "") Then
39          If (InStr(1, MM_editRedirectUrl, "?", vbTextCompare) = 0 And Request.QueryString <> "") Then
40              MM_editRedirectUrl = MM_editRedirectUrl & "?" & Request.QueryString
41          Else
42              MM_editRedirectUrl = MM_editRedirectUrl & "&" & Request.QueryString
43          End If
44      End If
45
46  End If
47  %>
48  <%
49  ' *** Insert Record: construct a sql insert statement and execute it
50
51  If (CStr(Request("MM_insert")) <> "") Then
52
53      ' create the sql insert statement
54      MM_tableValues = ""
55      MM_dbValues = ""
56      For i = LBound(MM_fields) To UBound(MM_fields) Step 2
57          FormVal = MM_fields(i+1)
58          MM_typeArray = Split(MM_columns(i+1), ",")
59          Delim = MM_typeArray(0)
60          If (Delim = "none") Then Delim = ""
61          AltVal = MM_typeArray(1)

```

```

30 leftmargin="3"
31 topmargin="0"
32 marginwidth="0"
33 marginheight="0"
34 background=".../..<%=EP_bgImg)%>"
35 <!--#include file=".../..<%=EP_bgImg)%>" -->
36 <br>
37 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0" cellspacing="0">
38 <tr>
39 <td>
40 <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
41 <tr>
42 <td align="center">
43 <div align="center"><font face="sans-serif" size="2"><b>Before we
44 process your order, we need your billing information.</b></font>
45 </div>
46 </td>
47 </tr>
48 <tr>
49 <td>
50 <hr color="#<%=EP_bordercolor%>">
51 </td>
52 </tr>
53 <tr>
54 <td>
55 <div align="center"><font face="sans-serif" size="2">Please fill out
56 the following form:<br>
57 (<font color="#<%=EP_bordercolor%>">&nbsp;*</font>
58 indicates a required field.)</font><br>
59 &nbsp;*<br>
60 <form name="billInfo" method="POST" action="<%=MM_editAction%>">
61 <table width="100%" border="0">
62 <tr>
63 <td colspan="2">
64 <div align="left"><font face="sans-serif" size="2"><b>Credit
65 Card Information</b></font></div>
66 </td>
67 </tr>
68 <tr>
69 <td width="33%">
70 <div align="right"><font face="sans-serif" size="2">Credit
71 Card Type:</font></div>
72 </td>
73 <td width="67%">
74 <select name="card_type">
75 <option value="Visa">Visa</option>
76 <option value="Mastercard">Mastercard</option>
77 </select>
78 </td>
79 </tr>
80 <tr>
81 <td width="33%">
82 <div align="right"><font face="sans-serif" size="2">Credit
83 Card Number:</font></div>
84 </td>
85 <td width="67%">
86 <input type="text" name="cardNum" size="20">
87 </td>
88 </tr>
89 <tr>
90 <td width="33%">
91 <div align="right"><font face="sans-serif" size="2">Expiration
92 Date:</font></div>
93 </td>
94 <td width="67%">
95 <input type="text" name="cardExp" size="6" value="MM/YY">
96 </td>
97 </tr>

```

```

62 If (AltVal = "none") Then AltVal = ""
63 EmptyVal = MM_typeArray(2)
64 If (EmptyVal = "none") Then EmptyVal = ""
65 If (FormVal = "") Then
66     FormVal = EmptyVal
67 Else
68     If (AltVal <> "") Then
69         FormVal = AltVal
70     ElseIf (Delim = "'") Then ' escape quotes
71         FormVal = "'" & Replace(FormVal, "'", "'") & "'"
72     Else
73         FormVal = Delim + FormVal + Delim
74     End If
75 End If
76 If (i <> LBound(MM_fields)) Then
77     MM_tableValues = MM_tableValues & ","
78     MM_dbValues = MM_dbValues & ","
79 End If
80 MM_tableValues = MM_tableValues & MM_columns(i)
81 MM_dbValues = MM_dbValues & FormVal
82 Next
83 MM_editQuery = "insert into " & MM_editTable & " (" & MM_tableValues & ") values (" & MM_dbV
alues & ")"
84
85 If (Not MM_abortEdit) Then
86     ' execute the insert
87     Set MM_editCmd = Server.CreateObject("ADODB.Command")
88     MM_editCmd.ActiveConnection = MM_editConnection
89     MM_editCmd.CommandText = MM_editQuery
90     MM_editCmd.Execute
91     MM_editCmd.ActiveConnection.Close
92
93     If (MM_editRedirectUrl <> "") Then
94         Response.Redirect(MM_editRedirectUrl)
95     End If
96 End If
97
98 End If
99 %>
00 <%
01 set Recordset1 = Server.CreateObject("ADODB.Recordset")
02 Recordset1.ActiveConnection = MM_dbEPakOrders_STRING
03 Recordset1.Source = "SELECT * FROM orderInfo"
04 Recordset1.CursorType = 0
05 Recordset1.CursorLocation = 2
06 Recordset1.LockType = 3
07 Recordset1.Open()
08 Recordset1_numRows = 0
09 %>
10 <!--#include file="../../../global.asp" -->
11 <html>
12 <head>
13 <SCRIPT LANGUAGE="JavaScript">
14 clicked = false
15 function jsSubmitBilling() {
16     if (clicked != true) {
17         clicked = true
18         document.billInfo.submit()
19     }
20 }
21 </SCRIPT>
22 <title>Order Form</title>
23 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
24 </head>
25 <body bgcolor="#<%= (EP_bgcolor) %>"
26     text="#<%=EP_text%>"
27     link="#<%=EP_link%>"
28     vlink="#<%=EP_vlink%>"
29     alink="#<%=EP_alink%>"

```

```

98         <tr>
99             <td colspan="2">&nbsp;   </td>
100         </tr>
101         <tr>
102             <td colspan="2"><font face="sans-serif" size="2"><b>Contact
103                 Information</b></font></td>
104         </tr>
105         <tr>
106             <td width="33%">
107                 <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
108 color%>">*</font><font face="sans-serif" size="2">
109                     Billing Name:</font></div>
110             </td>
111             <td width="67%">
112                 <input type="text" name="billName" size="20">
113             </td>
114         </tr>
115         <tr>
116             <td width="33%">
117                 <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
118 color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
119                     Address:</font></div>
120             </td>
121             <td width="67%">
122                 <input type="text" name="billAddr" size="20">
123             </td>
124         </tr>
125         <tr>
126             <td width="33%">
127                 <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
128 color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
129                     City:</font></div>
130             </td>
131             <td width="67%">
132                 <input type="text" name="billCity" size="15">
133             </td>
134         </tr>
135         <tr>
136             <td width="33%">
137                 <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
138 color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
139                     State:</font></div>
140             </td>
141             <td width="67%">
142                 <select name="billState">
143                     <option value="00" selected>--</option>
144                     <option value="AL">AL</option>
145                     <option value="AK">AK</option>
146                     <option value="AZ">AZ</option>
147                     <option value="AR">AR</option>
148                     <option value="CA">CA</option>
149                     <option value="CO">CO</option>
150                     <option value="CT">CT</option>
151                     <option value="DE">DE</option>
152                     <option value="FL">FL</option>
153                     <option value="GA">GA</option>
154                     <option value="HI">HI</option>
155                     <option value="ID">ID</option>
156                     <option value="IL">IL</option>
157                     <option value="IN">IN</option>
158                     <option value="IA">IA</option>
159                     <option value="KS">KS</option>
160                     <option value="KY">KY</option>
161                     <option value="LA">LA</option>
162                     <option value="ME">ME</option>
163                     <option value="MD">MD</option>
164                     <option value="MA">MA</option>
165                     <option value="MI">MI</option>
166                     <option value="MN">MN</option>

```

```
63         <option value="MS">MS</option>
64         <option value="MO">MO</option>
65         <option value="MT">MT</option>
66         <option value="NE">NE</option>
67         <option value="NV">NV</option>
68         <option value="NH">NH</option>
69         <option value="NJ">NJ</option>
70         <option value="NM">NM</option>
71         <option value="NY">NY</option>
72         <option value="NC">NC</option>
73         <option value="ND">ND</option>
74         <option value="OH">OH</option>
75         <option value="OK">OK</option>
76         <option value="OR">OR</option>
77         <option value="PA">PA</option>
78         <option value="RI">RI</option>
79         <option value="SC">SC</option>
80         <option value="SD">SD</option>
81         <option value="TN">TN</option>
82         <option value="TX">TX</option>
83         <option value="UT">UT</option>
84         <option value="VT">VT</option>
85         <option value="VA">VA</option>
86         <option value="WA">WA</option>
87         <option value="WV">WV</option>
88         <option value="WI">WI</option>
89         <option value="WY">WY</option>
90     </select>
91 </td>
92 </tr>
93 <tr>
94     <td width="33%">
95         <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
        ZIP:</font></div>
96     </td>
97     <td width="67%">
98         <input type="text" name="BillZIP" size="8">
99     </td>
100 </tr>
101 <tr>
102     <td width="33%">
103         <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
color%>">*</font>&nbsp;<font face="sans-serif" size="2">Billing
        Phone #:</font></div>
104     </td>
105     <td width="67%">
106         <input type="text" name="billPhone" size="13">
107     </td>
108 </tr>
109 <tr>
110     <td width="33%">
111         <div align="right"><font face="sans-serif" size="2" color="#<%=EP_border
color%>">*</font>&nbsp;<font face="sans-serif" size="2">Contact
        Email Address:</font></div>
112     </td>
113     <td width="67%">
114         <input type="text" name="billEmail" size="20">
115     </td>
116 </tr>
117 <tr>
118     <td colspan="2">&nbsp;</td>
119 </tr>
120 <tr>
121     <td colspan="2">
122         <div align="left"><font face="sans-serif" size="2"><b>Optional
        Information</b></font></div>
123     </td>
124 </tr>
```

```

329     <tr>
330         <td width="33%">
331             <div align="right"><font face="sans-serif" size="2">Alternate
332                 Phone #:</font></div>
333         </td>
334         <td width="67%">
335             <input type="text" name="altPhone" size="13">
336         </td>
337     </tr>
338     <tr>
339         <td colspan="2">&nbsp;</td>
340     </tr>
341     <tr>
342         <td colspan="2"><font face="sans-serif" size="2"><b>Alternate
343             Shipping Information</b></font></td>
344     </tr>
345     <tr>
346         <td width="33%">
347             <div align="right"><font face="sans-serif" size="2">Alternate
348                 Name:</font></div>
349         </td>
350         <td width="67%">
351             <input type="text" name="altName" size="20">
352         </td>
353     </tr>
354     <tr>
355         <td width="33%">
356             <div align="right"><font face="sans-serif" size="2">Alternate
357                 Address:</font></div>
358         </td>
359         <td width="67%">
360             <input type="text" name="altAddr" size="20">
361         </td>
362     </tr>
363     <tr>
364         <td width="33%">
365             <div align="right"><font face="sans-serif" size="2">Alternate
366                 City:</font></div>
367         </td>
368         <td width="67%">
369             <input type="text" name="altCity" size="15">
370         </td>
371     </tr>
372     <tr>
373         <td width="33%">
374             <div align="right"><font face="sans-serif" size="2">Alternate
375                 State:</font></div>
376         </td>
377         <td width="67%">
378             <select name="altState">
379                 <option value="00" selected>--</option>
380                 <option value="AL">AL</option>
381                 <option value="AK">AK</option>
382                 <option value="AZ">AZ</option>
383                 <option value="AR">AR</option>
384                 <option value="CA">CA</option>
385                 <option value="CO">CO</option>
386                 <option value="CT">CT</option>
387                 <option value="DE">DE</option>
388                 <option value="FL">FL</option>
389                 <option value="GA">GA</option>
390                 <option value="HI">HI</option>
391                 <option value="ID">ID</option>
392                 <option value="IL">IL</option>
393                 <option value="IN">IN</option>
394                 <option value="IA">IA</option>
395                 <option value="KS">KS</option>
396                 <option value="KY">KY</option>
397                 <option value="LA">LA</option>

```

```

398         <option value="ME">ME</option>
399         <option value="MD">MD</option>
400         <option value="MA">MA</option>
401         <option value="MI">MI</option>
402         <option value="MN">MN</option>
403         <option value="MS">MS</option>
404         <option value="MO">MO</option>
405         <option value="MT">MT</option>
406         <option value="NE">NE</option>
407         <option value="NV">NV</option>
408         <option value="NH">NH</option>
409         <option value="NJ">NJ</option>
410         <option value="NM">NM</option>
411         <option value="NY">NY</option>
412         <option value="NC">NC</option>
413         <option value="ND">ND</option>
414         <option value="OH">OH</option>
415         <option value="OK">OK</option>
416         <option value="OR">OR</option>
417         <option value="PA">PA</option>
418         <option value="RI">RI</option>
419         <option value="SC">SC</option>
420         <option value="SD">SD</option>
421         <option value="TN">TN</option>
422         <option value="TX">TX</option>
423         <option value="UT">UT</option>
424         <option value="VT">VT</option>
425         <option value="VA">VA</option>
426         <option value="WA">WA</option>
427         <option value="WV">WV</option>
428         <option value="WI">WI</option>
429         <option value="WY">WY</option>
430     </select>
431 </td>
432 </tr>
433 <tr>
434     <td width="33%">
435         <div align="right"><font face="sans-serif" size="2">Alternate
436             ZIP:</font></div>
437     </td>
438     <td width="67%">
439         <input type="text" name="altZIP" size="8">
440     </td>
441 </tr>
442 <tr>
443     <td width="33%">&nbsp;</td>
444     <td width="67%">
445         <input type="hidden" name="orderedItems" value="<%=Session("ID")%>">
446         <input type="hidden" name="orderedQTY" value="<%=Session("QTY")%>">
447     </td>
448 </tr>
449 <tr>
450     <td colspan="2">
451         <div align="center">
452             <input type="button" onClick="jsSubmitBilling()" id="submitBtn" name="
submitBtn" value="Click here to finalize your order." style="
453                 border-color: #<%=EP_bordercolor%>;
454                 border-style: groove;
455                 border-width: 3px;
456                 background-color: #<%=EP_bgcolor%>;
457                 color: #<%=EP_text%>;
458                 cursor: hand;">
459         </div>
460     </td>
461 </tr>
462 </table>
463     <input type="hidden" name="MM_insert" value="true">
464 </form>
465 </div>

```



```
166         </td>
167     </tr>
168     <tr>
169         <td>
170             <hr color="#<%=EP_bordercolor%>">
171         </td>
172     </tr>
173     <tr>
174         <td>
175             <div align="center"> </div>
176         </td>
177     </tr>
178 </table>
179 </td>
180 </tr>
181 </table>
182 </body>
183 </html>
184 <%
185 Recordset1.Close()
186 %>
187
```

```

1 <!--#include file="../../../global.asp" -->
2 <html>
3 <head>
4 <title>Thank you for your inquiry</title>
5 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
6 </head>
7 <body bgcolor="#<%= (EP_bgcolor) %>"
8   text="#<%=EP_text%>"
9   link="#<%=EP_link%>"
0   vlink="#<%=EP_vlink%>"
1   alink="#<%=EP_alink%>"
2   leftmargin="3"
3   topmargin="0"
4   marginwidth="0"
5   marginheight="0"
6   background="../../../<%= (EP_bgImg) %>">
7 <!--#include file="../../../banner.asp" -->
8 <br>
9 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
>
0   <tr>
1     <td>
2       <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
3         <tr>
4           <td>
5             <hr color="#<%=EP_bordercolor%>">
6           </td>
7         </tr>
8         <tr>
9           <td>
0             <div align="center"><b><font face="sans-serif" size="2">Thank you</font><font face=
"sans-serif" size="2">
1               for your inquiry.</font></b><font face="sans-serif" size="2"><br>
2               <br>
3               If necessary, and if you've provided us with your email address,<br>
4               we will respond as soon as possible.</font></div>
5             </td>
6           </tr>
7         <tr>
8           <td>
9             <hr color="#<%=EP_bordercolor%>">
0           </td>
1         </tr>
2         <tr>
3           <td>
4             <div align="center"> </div>
5           </td>
6         </tr>
7       </table>
8     </td>
9   </tr>
0 </table>
1 </body>
2 </html>
3

```

```

1  <%@LANGUAGE="VBScript"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakAppearance.asp" -->
4  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
5  <%
6  set rsOwnerInfo = Server.CreateObject("ADODB.Recordset")
7  rsOwnerInfo.ActiveConnection = MM_dbEPakRecords_STRING
8  rsOwnerInfo.Source = "SELECT * FROM adminInfo"
9  rsOwnerInfo.CursorType = 0
10 rsOwnerInfo.CursorLocation = 2
11 rsOwnerInfo.LockType = 3
12 rsOwnerInfo.Open()
13 rsOwnerInfo_numRows = 0
14 %>
15 <%
16 set rsPageBools = Server.CreateObject("ADODB.Recordset")
17 rsPageBools.ActiveConnection = MM_dbEPakAppearance_STRING
18 rsPageBools.Source = "SELECT * FROM pages"
19 rsPageBools.CursorType = 0
20 rsPageBools.CursorLocation = 2
21 rsPageBools.LockType = 3
22 rsPageBools.Open()
23 rsPageBools_numRows = 0
24 %>
25 <%
26 set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
27 rsCouponInfo.ActiveConnection = MM_conneEPObjectProps_STRING
28 rsCouponInfo.Source = "SELECT ID, coupon_expDate FROM coupon"
29 rsCouponInfo.CursorType = 0
30 rsCouponInfo.CursorLocation = 2
31 rsCouponInfo.LockType = 3
32 rsCouponInfo.Open()
33 rsCouponInfo_numRows = 0
34 %>
35 <!--#include file="../../../global.asp" -->
36 <%
37 hltBox = "onMouseOver=" & Chr(34) & "this.style.background='" & EP_highlight & "';this.style.color='
   "& EP_alink & "'" & Chr(34) & VBIf & "onMouseOut=" & Chr(34) & "this.style.background='transparent';this.
   style.color='" & EP_text & "'" & Chr(34) & VBIf & " style=" & Chr(34) & "cursor: hand;" & Chr(34) & ""
38 %>
39 <%
40 If (NOT rsCouponInfo.EOF) Then
41     rsCouponInfo.MoveFirst()
42     couponExpired = false
43     writeCoupon = false
44     While (NOT rsCouponInfo.EOF)
45
46         If (rsCouponInfo.Fields.Item("coupon_expDate").Value <> "") Then
47             expireDate = rsCouponInfo.Fields.Item("coupon_expDate").Value
48             expireArray = Split(expireDate, "/")
49
50             currentDate = Date ' currentDate = server's current date (MM/DD/YY)
51             currentArray = Split(currentDate, "/")
52             ' compare values, first year, then month, then day.
53             ' if current values are greater than expire values, then respond
54             ' with a CANCEL variable
55
56             if (Int(currentArray(2)) > Int(expireArray(2))) Then
57                 couponExpired = true
58             End If
59
60             If (Int(currentArray(0)) > Int(expireArray(0))) Then
61                 couponExpired = true
62             End If
63
64             If (Int(currentArray(1)) > Int(expireArray(1))) Then
65                 couponExpired = true
66             End If
67         End If
68     End If
69 End If

```

```

68
69         If (NOT couponExpired) Then
70             writeCoupon = true
71         End If
72
73         rsCouponInfo.MoveNext()
74     Wend
75     rsCouponInfo.MoveFirst()
76 End If
77 %>
78
79 <html>
80 <head>
81 <STYLE>
82 .disableHscroll{
83 width:100%;overflow-x:hidden;
84 }
85 a { text-decoration: none; }
86 </STYLE>
87 <title>Menu</title>
88 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
89 <script language="JavaScript" src="js/compTest1.js"></script>
90 </head>
91 <body bgcolor="#<%=EP_bgcolor%>"
92     text="#<%=EP_text%>"
93     link="#<%=EP_link%>"
94     vlink="#<%=EP_vlink%>"
95     alink="#<%=EP_alink%>"
96     leftmargin="0"
97     topmargin="0"
98     marginwidth="0"
99     marginheight="0"
100    background="../../<%=EP_menuBgImg%>"
101    class="disableHscroll">
102 <table width="100%" border="1" cellspacing="0" cellpadding="0" bordercolor="#<%=EP_bordercolor%>" height="100%">
103     <tr>
104         <td align="center" height="80">
105     </td>
106     </tr>
107     <tr>
108         <td valign="top">
109             <table width="100%" border="0" cellspacing="0" cellpadding="0" bordercolor="#<%=EP_bordercolor%>">
110                 <tr>
111                     <td colspan="2">
112                         <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif" size="2"><b>Menu</b></font></div>
113                     </td>
114                     </tr>
115                     <tr>
116                         <td colspan="2"><font color="#FFFFFF">&nbsp;</font>
117                         <div align="center"><font face="Verdana, Arial, Helvetica, sans-serif" size="2">&nbsp;
118                         </div>
119                     </td>
120                     </tr>
121                     <tr>
122                         <td colspan="2"><tr onClick="parent.epak_main.location.href='home.asp'" <%=hltBox%>>
123                             <td>&nbsp;</td>
124                             <td><font face="sans-serif" size="2">
125                                 <SCRIPT LANGUAGE="JavaScript">
126                                 if (is_nav) {
127                                     document.write('<a href="home.asp" target="epak_main">');
128                                 }
129                                 </SCRIPT>
130                                 Home Page
131                                 <SCRIPT LANGUAGE="JavaScript">
132                                 if (is_nav) {
133                                     document.write("</a>");
134                                 }

```

```

32     </SCRIPT>
33     </font></td>
34 </tr>
35 <%
36 If (rsPageBools.Fields.Item("EPak_about").Value <> "False") Then
37 %>
38 <tr onClick="parent.epak_main.location.href='about.asp'" <%=hltBox%>>
39     <td>&nbsp;</td>
40     <td><font face="sans-serif" size="2">
41         <script language="JavaScript">
42             if (is_nav) {
43                 document.write('<a href="about.asp" target="epak_main">');
44             }
45         </script>
46         About Us
47         <script language="JavaScript">
48             if (is_nav) {
49                 document.write("</a>");
50             }
51         </script>
52     </font></td>
53 </tr>
54 <% End If %>
55 <%
56 If (rsPageBools.Fields.Item("EPak_catalog").Value <> "False") Then
57 %>
58 <tr onClick="parent.epak_main.location.href='catalog.asp'" <%=hltBox%>>
59     <td>&nbsp;</td>
60     <td><font face="sans-serif" size="2">
61         <script language="JavaScript">
62             if (is_nav) {
63                 document.write('<a href="catalog.asp" target="epak_main">');
64             }
65         </script>
66         Our Catalog
67         <script language="JavaScript">
68             if (is_nav) {
69                 document.write("</a>");
70             }
71         </script>
72     </font></td>
73 </tr>
74 <% End If %>
75 <%
76 If (rsPageBools.Fields.Item("EPak_sales").Value <> "False") Then
77 %>
78 <tr onClick="parent.epak_main.location.href='specSales.asp'" <%=hltBox%>>
79     <td>&nbsp;</td>
80     <td><font face="sans-serif" size="2">
81         <script language="JavaScript">
82             if (is_nav) {
83                 document.write('<a href="specSales.asp" target="epak_main">');
84             }
85         </script>
86         Special Sales
87         <script language="JavaScript">
88             if (is_nav) {
89                 document.write("</a>");
90             }
91         </script>
92     </font></td>
93 </tr>
94 <% End If %>
95 <%
96 If (rsPageBools.Fields.Item("EPak_events").Value <> "False") Then
97 %>
98 <tr onClick="parent.epak_main.location.href='specEvents.asp'" <%=hltBox%>>
99     <td>&nbsp;</td>
100    <td><font face="sans-serif" size="2">

```

```

001      <script language="JavaScript">
002      if (is_nav) {
003          document.write('<a href="specEvents.asp" target="epak_main">');
004      }
005      </script>
006      Special Events
007      <script language="JavaScript">
008      if (is_nav) {
009          document.write("</a>");
010      }
011      </script>
012      </font></td>
013  </tr>
014  <% End If %>
015  <%
016  If (rsPageBools.Fields.Item("EPak_coupon").Value <> "False" AND writeCoupon) Then
017  %>
018  <tr onClick="parent.epak_main.location.href='coupon.asp'" <%=hltBox%>>
019      <td>&nbsp;</td>
020      <td><font face="sans-serif" size="2">
021          <script language="JavaScript">
022          if (is_nav) {
023              document.write('<a href="coupon.asp" target="epak_main">');
024          }
025          </script>
026          Web Coupon
027          <script language="JavaScript">
028          if (is_nav) {
029              document.write("</a>");
030          }
031          </script>
032          </font></td>
033  </tr>
034  <% End If %>
035  <%
036  If (rsPageBools.Fields.Item("EPak_cart").Value <> "False") Then
037  %>
038  <tr onClick="parent.epak_main.location.href='cart.asp'" <%=hltBox%>>
039      <td>&nbsp;</td>
040      <td><font face="sans-serif" size="2">
041          <script language="JavaScript">
042          if (is_nav) {
043              document.write('<a href="cart.asp" target="epak_main">');
044          }
045          </script>
046          Shopping Cart
047          <script language="JavaScript">
048          if (is_nav) {
049              document.write("</a>");
050          }
051          </script>
052          </font></td>
053  </tr>
054  <% End If %>
055  <%
056  If (rsPageBools.Fields.Item("EPak_faq").Value <> "False") Then
057  %>
058  <tr onClick="parent.epak_main.location.href='faq.asp'" <%=hltBox%>>
059      <td>&nbsp;</td>
060      <td><font face="sans-serif" size="2">
061          <script language="JavaScript">
062          if (is_nav) {
063              document.write('<a href="faq.asp" target="epak_main">');
064          }
065          </script>
066          FAQ
067          <script language="JavaScript">
068          if (is_nav) {
069              document.write("</a>");

```

```
270     }
271     </script>
272     </font></td>
273 </tr>
274 <% End If %>
275 <%
276 If (rsPageBools.Fields.Item("EPak_inquiries").Value <> "False") Then
277 %>
278 <tr onClick="parent.epak_main.location.href='inquiries.asp' " <%=hltBox%>>
279     <td>&nbsp;</td>
280     <td><font face="sans-serif" size="2">
281         <script language="JavaScript">
282             if (is_nav) {
283                 document.write('<a href="inquiries.asp" target="epak_main">');
284             }
285         </script>
286         Questions<br>
287         &amp; Comments
288         <script language="JavaScript">
289             if (is_nav) {
290                 document.write("</a>");
291             }
292         </script>
293     </font></td>
294 </tr>
295 <% End If %>
296 <%
297 If (rsPageBools.Fields.Item("EPak_map").Value <> "False") Then
298 %>
299 <tr onClick="parent.epak_main.location.href='map.asp' " <%=hltBox%>>
300     <td>&nbsp;</td>
301     <td><font face="sans-serif" size="2">
302         <script language="JavaScript">
303             if (is_nav) {
304                 document.write('<a href="map.asp" target="epak_main">');
305             }
306         </script>
307         Map
308         <script language="JavaScript">
309             if (is_nav) {
310                 document.write("</a>");
311             }
312         </script>
313     </font></td>
314 </tr>
315 <% End If %>
316 <%
317 If (rsPageBools.Fields.Item("EPak_contact").Value <> "False") Then
318 %>
319 <tr onClick="parent.epak_main.location.href='contact.asp' " <%=hltBox%>>
320     <td>&nbsp;</td>
321     <td><font face="sans-serif" size="2">
322         <script language="JavaScript">
323             if (is_nav) {
324                 document.write('<a href="contact.asp" target="epak_main">');
325             }
326         </script>
327         Contact Us
328         <script language="JavaScript">
329             if (is_nav) {
330                 document.write("</a>");
331             }
332         </script>
333     </font></td>
334 </tr>
335 <% End If %>
336 </table>
337 </td>
338 </tr>
```

```

39      <tr>
40          <td bgcolor="#FFFFFF" valign="top" height="2%">
41              <CENTER>
42                  <font face="Arial" size="1"><b><font color="#000000"><%= (rsOwnerInfo.Fields.Item("EP_clientBizName").Value) %></font></b><font color="#000000"><br>
43                      <%= (rsOwnerInfo.Fields.Item("EP_clientAddress1").Value) %><br>
44                      <% If (rsOwnerInfo.Fields.Item("EP_clientAddress2").Value <> "") Then %>
45                      <%= (rsOwnerInfo.Fields.Item("EP_clientAddress2").Value) %><br>
46                      <% End If %>
47                      <%= (rsOwnerInfo.Fields.Item("EP_clientCity").Value) %>, <%= (rsOwnerInfo.Fields.Item("EP_clientState").Value) %>&nbsp;&nbsp;&nbsp;<%= (rsOwnerInfo.Fields.Item("EP_clientZIP").Value) %><br>
48                      Phone:&nbsp;&nbsp;&<%= (rsOwnerInfo.Fields.Item("EP_clientPhone1").Value) %></font></font>
49              </CENTER>
50          </td>
51      </tr>
52  </table>
53 </body>
54 </html>
55 <%
56 rsOwnerInfo.Close()
57 %>
58 <%
59 rsPageBools.Close()
60 %>
61 <%
62 rsCouponInfo.Close()
63 %>
64

```



```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsMapInfo = Server.CreateObject("ADODB.Recordset")
6  rsMapInfo.ActiveConnection = MM_connEPakObjectProps_STRING
7  rsMapInfo.Source = "SELECT * FROM mapInfo"
8  rsMapInfo.CursorType = 0
9  rsMapInfo.CursorLocation = 2
10 rsMapInfo.LockType = 3
11 rsMapInfo.Open()
12 rsMapInfo_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <!--#include file="../../../global.asp" -->
25 <html>
26 <head>
27 <title>Company Map</title>
28 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
29 </head>
30 <body bgcolor="#<%= (EP_bgcolor) %>"
31     text="#<%=EP_text%>"
32     link="#<%=EP_link%>"
33     vlink="#<%=EP_vlink%>"
34     alink="#<%=EP_alink%>"
35     leftmargin="3"
36     topmargin="0"
37     marginwidth="0"
38     marginheight="0"
39     background="../../../<%= (EP_bgImg) %>">
40 <!--#include file="../../../banner.asp" -->
41 <br>
42 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
43 >
44     <tr>
45         <td>
46             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
47                 <tr>
48                     <td align="center" colspan="2">
49                         <div align="center"><font face="sans-serif" size="2"><b>
50                             <%
51                             'check to see which Title Text file is selected
52                             cycleDone = false
53                             Dim titleTextFile
54                             While (NOT rsTitleText.EOF)
55                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
56                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
57                                 End If
58                                 rsTitleText.MoveNext
59                             Wend
60                             <%
61                             <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
62
63                                 <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P
64                                     ALIGN='CENTER'><FONT COLOR='<%=EP_text%>'>Company Map</FONT></P>">
65                                 <param name=wmode value=transparent>
66                                 <param name=quality value=high>

```

```

66         <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'
><FONT COLOR='#<%=EP_text%>'>Company Map</FONT></P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">
67         </embed>
68         </object></b></font></div>
69     </td>
70 </tr>
71 <tr>
72     <td colspan="2">
73         <hr color="#<%=EP_bordercolor%>">
74     </td>
75 </tr>
76 <tr>
77     <td colspan="2">
78         <div align="center"><font face="sans-serif" size="2"> <A HREF="<%= (rsMapInfo.Fields
s.Item("EPak_mapURL").Value) %>"><br>
79             Click here for a map and driving directions!</A><br>
80             <br>
81             &nbsp; </font></div>
82     </td>
83 </tr>
84 <tr>
85     <td>
86         <div align="center"><font face="sans-serif" size="2">Maps provided
87             by:</font></div>
88     </td>
89     <td bgcolor="#FFFFFF">
90         <div align="center">
91             <%
92             If (rsMapInfo.Fields.Item("EPak_mapIMG").Value = "mapquest.gif") Then
93                 <%
94                 <A HREF="http://www.mapquest.com">
95                     <%
96                     Else
97                         <%><A HREF="http://maps.yahoo.com">
98                             <%
99                     End If
100                 <%
101                 " width="250" height="59">
102                 </A> </div>
103     </td>
104 </tr>
105 <tr>
106     <td colspan="2">
107         <hr color="#<%=EP_bordercolor%>">
108     </td>
109 </tr>
110 <tr>
111     <td colspan="2">
112         <div align="center"> </div>
113     </td>
114 </tr>
115 </table>
116 </td>
117 </tr>
118 </table>
119 </body>
120 </html>
121 <%
122 rsMapInfo.Close()
123 %>
124 <%
125 rsTitleText.Close()
126 %>
127

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  ' *** Edit Operations: declare variables
6
7  MM_editAction = CStr(Request("URL"))
8  If (Request.QueryString <> "") Then
9      MM_editAction = MM_editAction & "?" & Request.QueryString
10 End If
11
12 ' boolean to abort record edit
13 MM_abortEdit = false
14
15 ' query string to execute
16 MM_editQuery = ""
17 %>
18 <%
19 ' *** Insert Record: set variables
20
21 If (CStr(Request("MM_insert")) <> "") Then
22
23     MM_editConnection = MM_dbEPakRecords_STRING
24     MM_editTable = "userInquiries"
25     MM_editRedirectUrl = "msgThanks.asp"
26     MM_fieldsStr = "email|value|textfield|value|inqOptions|value"
27     MM_columnsStr = "QC_usrEmail|',none,'|QC_usrMsg|',none,'|QC_usrOptions|',none,'"
28
29     ' create the MM_fields and MM_columns arrays
30     MM_fields = Split(MM_fieldsStr, "|")
31     MM_columns = Split(MM_columnsStr, "|")
32
33     ' set the form values
34     For i = LBound(MM_fields) To UBound(MM_fields) Step 2
35         MM_fields(i+1) = CStr(Request.Form(MM_fields(i)))
36     Next
37
38     ' append the query string to the redirect URL
39     If (MM_editRedirectUrl <> "" And Request.QueryString <> "") Then
40         If (InStr(1, MM_editRedirectUrl, "?", vbTextCompare) = 0 And Request.QueryString <> "") Th
41             en
42                 MM_editRedirectUrl = MM_editRedirectUrl & "?" & Request.QueryString
43             Else
44                 MM_editRedirectUrl = MM_editRedirectUrl & "&" & Request.QueryString
45             End If
46         End If
47     End If
48 %>
49 <%
50 ' *** Insert Record: construct a sql insert statement and execute it
51
52 If (CStr(Request("MM_insert")) <> "") Then
53
54     ' create the sql insert statement
55     MM_tableValues = ""
56     MM_dbValues = ""
57     For i = LBound(MM_fields) To UBound(MM_fields) Step 2
58         FormVal = MM_fields(i+1)
59         MM_typeArray = Split(MM_columns(i+1), ",")
60         Delim = MM_typeArray(0)
61         If (Delim = "none") Then Delim = ""
62         AltVal = MM_typeArray(1)
63         If (AltVal = "none") Then AltVal = ""
64         EmptyVal = MM_typeArray(2)
65         If (EmptyVal = "none") Then EmptyVal = ""
66         If (FormVal = "") Then
67             FormVal = EmptyVal
68         Else

```

```

69     If (AltVal <> "") Then
70         FormVal = AltVal
71     ElseIf (Delim = "'") Then ' escape quotes
72         FormVal = "'" & Replace(FormVal,"'","''") & "'"
73     Else
74         FormVal = Delim + FormVal + Delim
75     End If
76 End If
77 If (i <> LBound(MM_fields)) Then
78     MM_tableValues = MM_tableValues & ","
79     MM_dbValues = MM_dbValues & ","
80 End if
81 MM_tableValues = MM_tableValues & MM_columns(i)
82 MM_dbValues = MM_dbValues & FormVal
83 Next
84 MM_editQuery = "insert into " & MM_editTable & " (" & MM_tableValues & ") values (" & MM_dbV
alues & ")"
85
86 If (Not MM_abortEdit) Then
87     ' execute the insert
88     Set MM_editCmd = Server.CreateObject("ADODB.Command")
89     MM_editCmd.ActiveConnection = MM_editConnection
90     MM_editCmd.CommandText = MM_editQuery
91     MM_editCmd.Execute
92     MM_editCmd.ActiveConnection.Close
93
94     If (MM_editRedirectUrl <> "") Then
95         Response.Redirect(MM_editRedirectUrl)
96     End If
97 End If
98
99 End If
00 %>
01 <%
02 set rsTitleText = Server.CreateObject("ADODB.Recordset")
03 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
04 rsTitleText.Source = "SELECT * FROM titleText"
05 rsTitleText.CursorType = 0
06 rsTitleText.CursorLocation = 2
07 rsTitleText.LockType = 3
08 rsTitleText.Open()
09 rsTitleText_numRows = 0
10 %>
11 <%
12 set rsInqOptions = Server.CreateObject("ADODB.Recordset")
13 rsInqOptions.ActiveConnection = MM_dbEPakRecords_STRING
14 rsInqOptions.Source = "SELECT * FROM inqOptions"
15 rsInqOptions.CursorType = 0
16 rsInqOptions.CursorLocation = 2
17 rsInqOptions.LockType = 3
18 rsInqOptions.Open()
19 rsInqOptions_numRows = 0
20 %>
21 <%
22 Dim Repeat1_numRows
23 Repeat1_numRows = -1
24 Dim Repeat1_index
25 Repeat1_index = 0
26 rsInqOptions_numRows = rsInqOptions_numRows + Repeat1_numRows
27 %>
28 <!--#include file="../../../global.asp" -->
29 <html>
30 <head>
31 <SCRIPT LANGUAGE="JavaScript">
32     <%
33         arlen = 0
34         rsInqOptions.MoveFirst()
35         While (NOT rsInqOptions.EOF)
36             arlen = arlen + 1

```

```

137         rsInqOptions.MoveNext()
138     Wend
139     rsInqOptions.MoveFirst()
140     %>
141
142     chkArray = new Array(<%=arlen%>);
143     for (i=0; i<=<%=arlen%>; i++) {
144         chkArray[i] = 0;
145     }
146
147     function jsChangeOption(val, id) {
148         store = "";
149         if (chkArray[val] == 0) {
150             chkArray[val] = id;
151         } else {
152             chkArray[val] = 0;
153         }
154         for (i=0; i<=(chkArray.length - 2); i++) {
155             store = store + chkArray[i] + "|";
156         }
157         document.inquiries.inqOptions.value = store;
158     }
159 </SCRIPT>
160 <title>Questions & Comments</title>
161 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
162 </head>
163 <body bgcolor="#<%= (EP_bgcolor) %>"
164     text="#<%=EP_text%>"
165     link="#<%=EP_link%>"
166     vlink="#<%=EP_vlink%>"
167     alink="#<%=EP_alink%>"
168     leftmargin="3"
169     topmargin="0"
170     marginwidth="0"
171     marginheight="0"
172     background=".../.../<%= (EP_bgImg) %>">
173 <!--#include file=".../.../banner.asp" -->
174 <br>
175 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
176     ">
177     <tr>
178         <td>
179             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
180                 <tr>
181                     <td align="center">
182                         <%
183                             'check to see which Title Text file is selected
184                             cycleDone = false
185                             Dim titleTextFile
186
187                             While (NOT rsTitleText.EOF)
188
189                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
190                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
191                                 End If
192                                 rsTitleText.MoveNext
193                             Wend
194                         %>
195
196                         <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
197 load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
198 40">
199
200                             <param name="movie" value=".../.../banners/titleText/<%= (titleTextFile) %>?txt=<P A
201 LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Questions %26 Comments</FONT></P>">
202
203                             <param name=wmode value=transparent>
204                             <param name=quality value=high>
205                             <embed src=".../.../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><
206 FONT COLOR='#<%=EP_text%>'>Questions %26 Comments</FONT></P>" quality=high pluginspage="http://
207 /www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="applica
208 tion/x-shockwave-flash" width="480" height="40">
209
210 </EPack Startup Files\templates\1\inquiries.asp: 3/5

```

```

199     </embed>
200   </object> </td>
201 </tr>
202 <tr>
203   <td>
204     <hr color="#<%=EP_bordercolor%>">
205   </td>
206 </tr>
207 <tr>
208   <td>
209     <div align="center"></div>
210   </td>
211 </tr>
212 <tr>
213   <td>
214     <form method="POST" name="inquiries" action="<%=MM_editAction%>">
215       <table width="75%" border="0" align="center">
216         <tr>
217           <td>
218             <div align="center"><font face="sans-serif" size="2">This
219               page will allow you to send to us any inquiries<br>
220               you may have.&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~Simply fill out the following form,<br>
221               and we will respond to your inquiry as quickly as we can.<br>
222             <br>
223             We respect your privacy, so your email address<br>
224             is not required.&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~However, if you are seeking<br>
225             an answer to questions, we will need it<br>
226             in order to respond.&nbsp;&nbsp;&nbsp;&nbsp;&~Any information<br>
227             you send to us will remain confidential,<br>
228             nor will your email address<br>
229             <b>ever</b> be given to <b>any</b> third parties. <br>
230             <br>
231             Please provide your home<br>
232             or business address if requesting a brochure.<br>
233             &nbsp;&nbsp;& ~</font></div>
234           </td>
235         </tr>
236         <tr>
237           <td><font face="sans-serif" size="2">>Email Address (not required):&nbsp;&nbsp;&~</fo
nt>
238             <input type="text" name="email" size="35">
239           </td>
240         </tr>
241         <tr>
242           <td><font face="sans-serif" size="2">>Your Message:</font><br>
243             <textarea name="textfield" cols="50" wrap="VIRTUAL" rows="4"></textarea>
244           </td>
245         </tr>
246         <tr>
247           <td>
248             <table width="100%" border="0">
249               <%
250 arlen=0
251 While ((Repeat1__numRows <> 0) AND (NOT rsInqOptions.EOF))
252 %>
253                 <tr>
254                   <td width="5">
255                     <input type="checkbox" name="inqOpt<%=rsInqOptions.Fields.Item("ID"
).Value)%>" value="true" onClick="jsChangeOption(<%=arlen%), <%=rsInqOptions.Fields.Item("ID"
).Value)%>) ">
256                   </td>
257                   <td><font face="Arial, Helvetica, sans-serif" size="1"><%=rsInqOption
s.Fields.Item("EP_inqName").Value)%></font></td>
258                 </tr>
259               <%
260 arlen = arlen + 1
261 Repeat1__index=Repeat1__index+1
262 Repeat1__numRows=Repeat1__numRows-1
263 rsInqOptions.MoveNext()

```

```

064 Wend
065 %>
066         </table>
067     </td>
068 </tr>
069 <tr>
070     <td>
071         <input type="submit" name="Submit" value="Send us your message" style="
072             border-color: #<%=EP_bordercolor%>;
073             border-style: groove;
074             border-width: 3px;
075             background-color: #<%=EP_bgcolor%>;
076             color: #<%=EP_text%>;
077             cursor: hand;">
078     </td>
079 </tr>
080 </table>
081 <input type="hidden" name="MM_insert" value="true">
082 <input type="hidden" name="inqOptions" value="0|0">
083 </form>
084 </td>
085 </tr>
086 <tr>
087     <td>
088         <hr color="#<%=EP_bordercolor%>">
089     </td>
090 </tr>
091 <tr>
092     <td>
093         <div align="center"> </div>
094     </td>
095 </tr>
096 </table>
097 </td>
098 </tr>
099 </table>
100 </body>
101 </html>
102 <%
103 rsTitleText.Close()
104 %>
105 <%
106 rsInqOptions.Close()
107 %>
108

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
4  <!--#include file="../../../Connections/dbEPakAppearance.asp" -->
5  <%
6  set rsOwnerInfo = Server.CreateObject("ADODB.Recordset")
7  rsOwnerInfo.ActiveConnection = MM_dbEPakRecords_STRING
8  rsOwnerInfo.Source = "SELECT * FROM adminInfo"
9  rsOwnerInfo.CursorType = 0
10 rsOwnerInfo.CursorLocation = 2
11 rsOwnerInfo.LockType = 3
12 rsOwnerInfo.Open()
13 rsOwnerInfo_numRows = 0
14 %>
15 <%
16 set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
17 rsCouponInfo.ActiveConnection = MM_connEPObjProps_STRING
18 rsCouponInfo.Source = "SELECT coupon_title, coupon_expDate FROM coupon"
19 rsCouponInfo.CursorType = 0
20 rsCouponInfo.CursorLocation = 2
21 rsCouponInfo.LockType = 3
22 rsCouponInfo.Open()
23 rsCouponInfo_numRows = 0
24 %>
25 <%
26 set rsGreeting = Server.CreateObject("ADODB.Recordset")
27 rsGreeting.ActiveConnection = MM_dbEPakAppearance_STRING
28 rsGreeting.Source = "SELECT * FROM greeting"
29 rsGreeting.CursorType = 0
30 rsGreeting.CursorLocation = 2
31 rsGreeting.LockType = 3
32 rsGreeting.Open()
33 rsGreeting_numRows = 0
34 %>
35 <%
36 set rsEP_Pages = Server.CreateObject("ADODB.Recordset")
37 rsEP_Pages.ActiveConnection = MM_dbEPakAppearance_STRING
38 rsEP_Pages.Source = "SELECT epak_coupon FROM pages"
39 rsEP_Pages.CursorType = 0
40 rsEP_Pages.CursorLocation = 2
41 rsEP_Pages.LockType = 3
42 rsEP_Pages.Open()
43 rsEP_Pages_numRows = 0
44 %>
45 <!--#include file="../../../global.asp" -->
46 <%
47 ' Split Greeting VBCLf so it appears properly
48
49 greetStr = rsGreeting.Fields.Item("EPak_Greeting").Value
50
51 greetAr = Split(greetStr, VBCrLf)
52 greetStrJoin = Join(greetAr, "<BR>")
53
54 %>
55 <%
56 If (NOT rsCouponInfo.EOF) Then
57     rsCouponInfo.MoveFirst()
58     couponExpired = false
59     writeCoupon = false
60     While (NOT rsCouponInfo.EOF)
61
62         If (rsCouponInfo.Fields.Item("coupon_expDate").Value <> "") Then
63             expireDate = rsCouponInfo.Fields.Item("coupon_expDate").Value
64             expireArray = Split(expireDate, "/")
65
66             currentDate = Date ' currentDate = server's current date (MM/DD/YY)
67             currentArray = Split(currentDate, "/")
68             ' compare values, first year, then month, then day.
69             ' if current values are greater than expire values, then respond

```



```

70         ' with a CANCEL variable
71
72         if (Int(currentArray(2)) > Int(expireArray(2))) Then
73             couponExpired = true
74         End If
75
76         If (Int(currentArray(0)) > Int(expireArray(0))) Then
77             couponExpired = true
78         End If
79
80         If (Int(currentArray(1)) > Int(expireArray(1))) Then
81             couponExpired = true
82         End If
83     End If
84
85     If (NOT couponExpired) Then
86         writeCoupon = true
87     End If
88
89     rsCouponInfo.MoveNext()
90 Wend
91 rsCouponInfo.MoveFirst()
92 End If
93 %>
94 <html>
95 <head>
96 <title>Home Page</title>
97 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
98 </head>
99 <body bgcolor="#<%= (EP_bgcolor) %>"
00     text="#<%=EP_text%>"
01     link="#<%=EP_link%>"
02     vlink="#<%=EP_vlink%>"
03     alink="#<%=EP_alink%>"
04     leftmargin="3"
05     topmargin="0"
06     marginwidth="0"
07     marginheight="0"
08     background="../../<%= (EP_bgImg) %>">
09 <!--#include file="../../banner.asp" -->
10 <br>
11 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
12 >
13     <tr>
14         <td>
15             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
16                 <tr>
17                     <td>
18                         <div align="center"><font face="sans-serif" size="2">Welcome to the
19                             <%= (rsOwnerInfo.Fields.Item("EP_clientBizName").Value) %> website!</font></div>
20                     </td>
21                 </tr>
22                 <tr>
23                     <td>
24                         <hr color="#<%=EP_bordercolor%>">
25                     </td>
26                 </tr>
27                 <tr>
28                     <td><font face="sans-serif" size="2"><%= (greetStrJoin) %></font></td>
29                 </tr>
30                 <tr>
31                     <td>
32                         <hr color="#<%=EP_bordercolor%>">
33                     </td>
34                 </tr>
35             </table>
36         End If
37     %>

```

```

138         </td>
139     </tr>
140 </tr>
141     <td>
142         <div align="center">
143             <%
144             If ((rsEP_Pages.Fields.Item("epak_coupon").Value) = "True" AND writeCoupon) Then
145             %>
146                 <a href="coupon.asp"><font face="sans-serif" size="2"><b>Web Coupon!!</b></font>
<br>
147                 </a>
148             <%
149             End If
150             %>
151         </div>
152     </td>
153 </tr>
154 <tr>
155     <td>
156         <hr color="#<%=EP_bordercolor%>">
157     </td>
158 </tr>
159 <tr>
160     <td>
161         <div align="center"><font face="Arial, Helvetica, sans-serif" size="1">Copyright
162             &copy;2002 Deanne &amp; Wayne &amp; Co. All rights reserved.<br>
163             No portion of this publication may be reproduced in any form<br>
164             or by any means without written permission of Deanne &amp; Wayne
165             &amp; Co.<br>
166             All trademarks and registered trademarks are the sole property of
167             their respective owners.<br>
168             Please send questions or comments regarding this site to the <a href="mailto:epa
ck@casualplus.com?subject=Inquiry%20from%20QCA%20Customer">webmaster</a>.<br>
169             <br>
170             Website Production by<br>
171             <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://do
wnload.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="88" height=
"65">
172                 <param name="movie" value="../../../images/d&wlogo.swf">
173                 <param name="quality" value="high">
174                 <embed src="../../../images/d&wlogo.swf" quality="high" pluginspage="http://www.mac
romedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-s
hockwave-flash" width="88" height="65">
175                 </embed>
176             </object><br>
177             E-Pack Copyright &copy;2002 D&amp;W Multimedia</font></div>
178         </td>
179 </tr>
180 </table>
181 </td>
182 </tr>
183 </table>
184 </body>
185 </html>
186 <%
187 rsOwnerInfo.Close()
188 %>
189 <%
190 rsCouponInfo.Close()
191 %>
192 <%
193 rsGreeting.Close()
194 %>
195 <%
196 rsEP_Pages.Close()
197 %>
198

```

```
1 <%@LANGUAGE="VBSCRIPT"%>
2 <html>
3 <head>
4 <title>Welcome to the <%=Application("epak_bizName")%> website!</title>
5 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
6 <link rel="icon" href="../../favicon.ico">
7 <LINK REL="SHORTCUT ICON" HREF="../../favicon.ico">
8 </head>
9 <frameset cols="155,*" rows="*" border="0" framespacing="0" frameborder="NO">
10   <frame name="epak_menu" noresize src="menu.asp">
11   <frame name="epak_main" src="home.asp">
12 </frameset>
13 <noframes>
14 <body bgcolor="#FFFFFF" text="#000000">
15 </body>
16 </noframes>
17 </html>
18
```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsEPakFAQ = Server.CreateObject("ADODB.Recordset")
6  rsEPakFAQ.ActiveConnection = MM_dbEPakRecords_STRING
7  rsEPakFAQ.Source = "SELECT * FROM FAQ"
8  rsEPakFAQ.CursorType = 0
9  rsEPakFAQ.CursorLocation = 2
10 rsEPakFAQ.LockType = 3
11 rsEPakFAQ.Open()
12 rsEPakFAQ_numRows = 0
13 %>
14 <%
15 set rsFAQCats = Server.CreateObject("ADODB.Recordset")
16 rsFAQCats.ActiveConnection = MM_dbEPakRecords_STRING
17 rsFAQCats.Source = "SELECT * FROM FAQCats"
18 rsFAQCats.CursorType = 0
19 rsFAQCats.CursorLocation = 2
20 rsFAQCats.LockType = 3
21 rsFAQCats.Open()
22 rsFAQCats_numRows = 0
23 %>
24 <%
25 set rsTitleText = Server.CreateObject("ADODB.Recordset")
26 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
27 rsTitleText.Source = "SELECT * FROM titleText"
28 rsTitleText.CursorType = 0
29 rsTitleText.CursorLocation = 2
30 rsTitleText.LockType = 3
31 rsTitleText.Open()
32 rsTitleText_numRows = 0
33 %>
34 <!--#include file="../../../global.asp" -->
35 <html>
36 <head>
37 <title>Frequently Asked Questions</title>
38 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
39 </head>
40 <body bgcolor=#<%=EP_bgcolor%>
41     text=#<%=EP_text%>
42     link=#<%=EP_link%>
43     vlink=#<%=EP_vlink%>
44     alink=#<%=EP_alink%>
45     leftmargin="3"
46     topmargin="0"
47     marginwidth="0"
48     marginheight="0"
49     background="../../../<%=EP_bgImg%>"
50 <!--#include file="../../../banner.asp" -->
51 <br>
52 <center>
53     <table width="500" border="1" align="center" bordercolor=#<%=EP_bordercolor%> cellpadding=
54         "0">
55         <tr>
56             <td>
57                 <table width="100%" border="0" align="center" bgcolor=#<%=EP_bgcolor%>
58                     <tr>
59                         <td align="center">
60                             <%
61                             'check to see which Title Text file is selected
62                             cycleDone = false
63                             Dim titleTextFile
64                             While (NOT rsTitleText.EOF)
65
66                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
67                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
68                                 End If

```



```

127         </tr>
128         <tr>
129             <td><font face="Arial, Helvetica, sans-serif" size="1">&nbsp;</font></td>
130         </tr>
131     </table>
132     <%
133         End If
134     %>
135     <%
136         Repeat2__index=Repeat2__index+1
137         Repeat2__numRows=Repeat2__numRows-1
138         rsEPakFAQ.MoveNext()
139     Wend
140 %>
141     <%
142     rsFAQCats.MoveNext
143 Wend
144 End If
145 %>
146         <br>
147         &nbsp;   </td>
148     </tr>
149     <tr>
150         <td bgcolor="#<%=EP_bordercolor%>"><font face="sans-serif" size="2" color="#<%= (EP
151         _bgcolor)%>"><b>&nbsp;   Frequent
152         Answers:</b></font></td>
153     </tr>
154     <tr>
155         <td>
156             <%
157             If (NOT rsFAQCats.EOF) Then
158                 rsFAQCats.MoveFirst
159                 While (not rsFAQCats.EOF)
160                     %>
161                         <font face="sans-serif" size=2><b><br>
162                         &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<%=rsFAQCats.Fields.Item("EPak_FAQCatName").Value%><br>
163                         </b></font>
164                     <%
165                     rsEPakFAQ.MoveFirst
166                     While (NOT rsEPakFAQ.EOF)
167                         %>
168                         <%
169                         If (rsEPakFAQ.Fields.Item("FAQ_Category").Value = rsFAQCats.Fields.Item("EPak_FAQCatNa
170                         me").Value) Then
171                             %>
172                             <a name="#<%= (rsEPakFAQ.Fields.Item("ID").Value)%>"></a>
173                             <table border="0">
174                                 <tr>
175                                     <td rowspan=3>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;</td>
176                                 </tr>
177                                 <tr>
178                                     <td><font face="sans-serif" size="2"><b>Q</b>:&nbsp;&nbsp;&nbsp;<i><%= (rsEPakFAQ.F
179                                     ields.Item("FAQ_Question").Value)%></i></font></td>
180                                 </tr>
181                                 <tr>
182                                     <td><b><font face="sans-serif" size="2">A</font></b><font face="sans-serif"
183                                     size="2">:&nbsp;&nbsp;&nbsp;<%= (rsEPakFAQ.Fields.Item("FAQ_Answer").Value)%></font></td>
184                                 </tr>
185                             </table>
186                             <br>
187                         <%
188                     End If
189                     %>
190                     <%
191                     Repeat1__index=Repeat1__index+1
192                     Repeat1__numRows=Repeat1__numRows-1
193                     rsEPakFAQ.MoveNext()
194                 Wend
195             %>

```

```

192         <%
193 rsFAQCats.MoveNext
194 Wend
195
196     End If
197 %>
198         </td>
199     </tr>
200 <tr>
201     <td>
202         <hr color="#<%=EP_bordercolor%>">
203     </td>
204 </tr>
205 <tr>
206     <td>
207         <div align="center"> </div>
208     </td>
209 </tr>
210 </table>
211 </td>
212 </tr>
213 </table>
214 </center>
215 </body>
216 </html>
217 <%
218 rsEPakFAQ.Close()
219 %>
220 <%
221 rsFAQCats.Close()
222 %>
223 <%
224 rsTitleText.Close()
225 %>
226

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
3  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
4  <%
5  set rsCouponInfo = Server.CreateObject("ADODB.Recordset")
6  rsCouponInfo.ActiveConnection = MM_connEPObjectProps_STRING
7  rsCouponInfo.Source = "SELECT * FROM coupon"
8  rsCouponInfo.CursorType = 0
9  rsCouponInfo.CursorLocation = 2
10 rsCouponInfo.LockType = 3
11 rsCouponInfo.Open()
12 rsCouponInfo_numRows = 0
13 %>
14 <%
15 set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
16 rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
17 rsAdminInfo.Source = "SELECT * FROM adminInfo"
18 rsAdminInfo.CursorType = 0
19 rsAdminInfo.CursorLocation = 2
20 rsAdminInfo.LockType = 3
21 rsAdminInfo.Open()
22 rsAdminInfo_numRows = 0
23 %>
24 <%
25 Dim Repeat1_numRows
26 Repeat1_numRows = -1
27 Dim Repeat1_index
28 Repeat1_index = 0
29 rsCouponInfo_numRows = rsCouponInfo_numRows + Repeat1_numRows
30 %>
31 <!--#include file="../../../global.asp" -->
32 <title>Web Coupon!</title>
33 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
34 </head>
35 <body bgcolor="#<%=EP_bgcolor%>"
36     text="#<%=EP_text%>"
37     link="#<%=EP_link%>"
38     alink="#<%=EP_alink%>"
39     vlink="#<%=EP_vlink%>"
40     leftmargin="15"
41     background="../../../<%= (EP_bgImg) %>"
42     topmargin="0">
43 <!--#include file="../../../banner.asp" -->
44 <br>
45 <table border="1" bordercolor="#<%=EP_bordercolor%>" bgcolor="#<%=EP_bgcolor%>" cellpadding="0"
46     cellspacing="0" align="center" width="530">
47     <tr>
48         <td>
49             <table width="100%" border="0">
50                 <tr>
51                     <td align="center"><font face="sans-serif" size="2"><b>Complimentary
52                         Web Coupon(s)!</b></font></td>
53                 </tr>
54             </table>
55         <%
56             dateAr = Split(Date, "/")
57             While ((Repeat1_numRows <> 0) AND (NOT rsCouponInfo.EOF))
58                 couponExpired = false
59
60                 expireDate = rsCouponInfo.Fields.Item("coupon_expDate").Value
61                 expireArray = Split(expireDate, "/")
62
63                 currentDate = Date ' currentDate = server's current date (MM/DD/YY)
64                 currentArray = Split(currentDate, "/")
65                 ' compare values, first year, then month, then day.
66                 ' if current values are greater than expire values, then respond
67                 ' with a CANCEL variable
68

```



```

69     if (Int(currentArray(2)) > Int(expireArray(2))) Then
70         couponExpired = true
71     End If
72
73     If (Int(currentArray(0)) > Int(expireArray(0))) Then
74         couponExpired = true
75     End If
76
77     If (Int(currentArray(1)) > Int(expireArray(1))) Then
78         couponExpired = true
79     End If
80
81 If (NOT couponExpired) Then
82 %>
83     <table bordercolor="#000000" style="border-style: dashed;" bgcolor="#FFFFFF" align="center">
84         <tr>
85             <td>
86                 <table border="0" width="510" height="156" cellpadding="0" cellspacing="0">
87                     <tr>
88                         <td>
89                             <%
90                                 couponFile = rsCouponInfo.Fields.Item("coupon_File").Value
91
92 subCaption_SPLIT = Split(rsCouponInfo.Fields.Item("coupon_subCaption").Value, "%")
93 subCaption1 = Join(subCaption_SPLIT, "%25")
94
95 priceValue1_SPLIT = Split(rsCouponInfo.Fields.Item("coupon_priceValue").Value, "%")
96 priceValue1 = Join(priceValue1_SPLIT, "%25")
97
98 subCaption2_SPLIT = Split(rsCouponInfo.Fields.Item("coupon_subCaption2").Value, "%")
99 subCaption2 = Join(subCaption2_SPLIT, "%25")
100
101 priceValue2_SPLIT = Split(rsCouponInfo.Fields.Item("coupon_priceValue2").Value, "%")
102 priceValue2 = Join(priceValue2_SPLIT, "%25")
103
104 notesValue_SPLIT = Split(rsCouponInfo.Fields.Item("coupon_notes").Value, "%")
105 notesValue = Join(notesValue_SPLIT, "%25")
106 %>
107
108                 <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="400" height="190" align="left">
109                     <param name=movie value="../../../coupons/<%=couponFile%>?subCaption=<%=subCaption1%>&priceValue=<%=priceValue1%>&notes=<%=notesValue%>&subCaption2=<%=subCaption2%>&priceValue2=<%=priceValue2%>">
110                     <param name=quality value=high>
111                     <embed src="../../../coupons/<%=couponFile%>?subCaption=<%=subCaption1%>&priceValue=<%=priceValue1%>&notes=<%=notesValue%>&subCaption2=<%=subCaption2%>&priceValue2=<%=priceValue2%>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="400" height="190" align="left">
112                     </embed>
113                 </object> </td>
114             <td>
115                 <table border="0" cellpadding="0" cellspacing="0">
116                     <tr bgcolor="#<%=EP_bgcolor%>">
117                         <td>
118                             <div align="center"></div>
119                         </td>
120                     </tr>
121                     <tr>
122                         <td><font color="#000000" face="sans-serif" size="1"><%=rsAdminInfo.Fields.Item("EP_clientBizName").Value%><br>
123                             <%=rsAdminInfo.Fields.Item("EP_clientAddress1").Value%><br>
124                             <%=rsAdminInfo.Fields.Item("EP_clientCity").Value%>, &nbsp;&nbsp;&nbsp;<%=rsAdminInfo.Fields.Item("EP_clientState").Value%>&nbsp;&nbsp;&nbsp;<%=rsAdminInfo.Fields.Item("EP_clientZIP").Value%><br>
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999

```

```

125         <%=rsAdminInfo.Fields.Item("EP_clientPhone1").Value)%> </font> </td>
126     </tr>
127 </table>
128 </td>
129 </tr>
130 <tr>
131     <td colspan="2">
132         <table border="0" align="center" cellpadding="0" cellspacing="0">
133             <tr>
134                 <td><font size="1" face="sans-serif" color="#000000">Coupon
135                     expires on <%=rsCouponInfo.Fields.Item("coupon_expDate").Value)%>. Li
mit one coupon per customer. Not valid
136                     with any other offer.</font></td>
137             </tr>
138         </table>
139     </td>
140 </tr>
141 </table>
142 </td>
143 </tr>
144 </table>
145 <BR>
146 <%
147     End If
148     Repeat1__index=Repeat1__index+1
149     Repeat1__numRows=Repeat1__numRows-1
150     rsCouponInfo.MoveNext()
151 Wend
152 %>
153     <div align="center"><font face="Arial, Helvetica, sans-serif" size="2">
154         To redeem your web coupon(s), simply print them out and bring them to
155         our store!<br>
156         </font><font face="Arial, Helvetica, sans-serif">&nbsp; </font> </div>
157     </td>
158 </tr>
159 <tr>
160     <td>
161         <div align="center"><font face="sans-serif" size="2">To
162         print these coupon(s), make sure your printer is on, then <a href="javascript:print();
">click
163         here</a>.</font></div>
164     </td>
165 </tr>
166 </table>
167 </body>
168 </html>
169 <%
170     rsCouponInfo.Close()
171 %>
172 <%
173     rsAdminInfo.Close()
174 %>
175

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
6  rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
7  rsAdminInfo.Source = "SELECT * FROM adminInfo"
8  rsAdminInfo.CursorType = 0
9  rsAdminInfo.CursorLocation = 2
10 rsAdminInfo.LockType = 3
11 rsAdminInfo.Open()
12 rsAdminInfo_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <!--#include file="../../../global.asp" -->
25 <html>
26 <head>
27 <title>Contact Us</title>
28 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
29 </head>
30 <body bgcolor="#<%= (EP_bgcolor) %>"
31     text="#<%=EP_text%>"
32     link="#<%=EP_link%>"
33     vlink="#<%=EP_vlink%>"
34     alink="#<%=EP_alink%>"
35     leftmargin="3"
36     topmargin="0"
37     marginwidth="0"
38     marginheight="0"
39     background="../../../<%= (EP_bgImg) %>">
40 <!--#include file="../../../banner.asp" -->
41 <br>
42 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
43 >
44     <tr>
45         <td>
46             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
47                 <tr>
48                     <td align="center">
49                         <%
50                             'check to see which Title Text file is selected
51                             cycleDone = false
52                             Dim titleTextFile
53                             While (NOT rsTitleText.EOF)
54
55                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
56                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
57                                 End If
58                                 rsTitleText.MoveNext
59                             Wend
60                             %>
61                             <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
62                                 <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Contact Us</FONT></P>">
63                                 <param name=wmode value=transparent>
64                                 <param name=quality value=high>
65                                 <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><

```

FONT COLOR='#<%=EP_text%>'>Contact Us</P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">

```
66     </embed>
67     </object> </td>
68 </tr>
69 <tr>
70     <td>
71         <hr color="#<%=EP_bordercolor%>">
72     </td>
73 </tr>
74 <tr>
75     <td>
76         <div align="center">
77             <table width="100%" border="0">
78                 <tr>
79                     <td>
80                         <div align="center"></div>
81                     </td>
82                     <td><font face="sans-serif" size="2">Need a map?<br>
83                         <a href="map.asp">Click here for one!</a></font></td>
84                 </tr>
85                 <tr>
86                     <td>
87                         <div align="center"><font face="sans-serif" size="2"><%= (rsAdminInfo.Fields.Item("EP_clientBizName").Value) %><br>
88                             <%= (rsAdminInfo.Fields.Item("EP_clientAddress1").Value) %><br>
89                             <%= (rsAdminInfo.Fields.Item("EP_clientCity").Value) %>, <%= (rsAdminInfo.Fields.Item("EP_clientState").Value) %> &nbsp; &nbsp; <%= (rsAdminInfo.Fields.Item("EP_clientZIP").Value) %></font></div>
90                     </td>
91                     <td><font face="sans-serif" size="2">Telephone: &nbsp; &nbsp; <%= (rsAdminInfo.Fields.Item("EP_clientPhone1").Value) %><br>
92                         <% If (rsAdminInfo.Fields.Item("EP_clientPhone2").Value <> "") Then %>
93                         Alternate: &nbsp; &nbsp; <%= (rsAdminInfo.Fields.Item("EP_clientPhone2").Value) %><br>
94                         <% End If %>
95                         Fax: &nbsp; &nbsp; <%= (rsAdminInfo.Fields.Item("EP_clientFax1").Value) %><br>
96                         E-Mail: &nbsp; &nbsp; <a href="mailto:<%= (rsAdminInfo.Fields.Item("EP_clientEmail1").Value) %>"><%= (rsAdminInfo.Fields.Item("EP_clientEmail1").Value) %></a></font></td>
97                 </tr>
98                 <tr>
99                     <td colspan="2">
100                         <div align="center"><br>
101                             <a href="inquiries.asp"><font face="sans-serif" size="2">You
102                             can also send us your inquiries by clicking here.</font></a><br>
103                         </div>
104                     </td>
105                 </tr>
106             </table>
107         </div>
108     </td>
109 </tr>
110 <tr>
111     <td>
112         <hr color="#<%=EP_bordercolor%>">
113     </td>
114 </tr>
115 <tr>
116     <td>
117         <div align="center"> </div>
118     </td>
119 </tr>
120 </table>
121 </td>
122 </tr>
123 </table>
124 </body>
```

```
125 </html>
126 <%
127 rsAdminInfo.Close()
128 %>
129 <%
130 rsTitleText.Close()
131 %>
132
```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  If (Request.Form("checkout") <> "") Then
6
7      Response.Redirect("processInfo.asp")
8
9  End If
10
11  %>
12  <%
13  set rsProducts = Server.CreateObject("ADODB.Recordset")
14  rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
15  rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice, EP_PshipPrice FROM EP_catalog"
16  rsProducts.CursorType = 0
17  rsProducts.CursorLocation = 2
18  rsProducts.LockType = 3
19  rsProducts.Open()
20  rsProducts_numRows = 0
21  %>
22  <%
23  set rsAdminInfo = Server.CreateObject("ADODB.Recordset")
24  rsAdminInfo.ActiveConnection = MM_dbEPakRecords_STRING
25  rsAdminInfo.Source = "SELECT EP_clientBizName, EP_clientAddress1, EP_clientCity, EP_clientStat
e, EP_clientZIP, EP_clientPhone1, EP_clientEmail1 FROM adminInfo"
26  rsAdminInfo.CursorType = 0
27  rsAdminInfo.CursorLocation = 2
28  rsAdminInfo.LockType = 3
29  rsAdminInfo.Open()
30  rsAdminInfo_numRows = 0
31  %>
32  <%
33  set rsTitleText = Server.CreateObject("ADODB.Recordset")
34  rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
35  rsTitleText.Source = "SELECT * FROM titleText"
36  rsTitleText.CursorType = 0
37  rsTitleText.CursorLocation = 2
38  rsTitleText.LockType = 3
39  rsTitleText.Open()
40  rsTitleText_numRows = 0
41  %>
42  <%
43      ' cart_qty is numeric field
44      ' prod_id is ID field (hidden)
45  If (Session("QTY") <> "" AND Session("ID") <> "") Then
46      itemsStr = Session("ID")
47      qtyStr = Session("QTY")
48
49      splitItems = Split(itemsStr, "|")
50      splitQTY = Split(qtyStr, "|")
51
52  End If
53
54  If (Session("QTY") = "") Then
55      noItems = true
56  End If
57
58  Dim totalCost
59  %>
60  <!--#include file="../../../global.asp" -->
61  <html>
62  <head>
63  <title>Checkout</title>
64  <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
65  </head>
66  <body bgcolor="#<%= (EP_bgcolor) %>"
67      text="#<%=EP_text%>"
68      link="#<%=EP_link%>"

```

```

69 vlink="#<%=EP_vlink%>"
70 alink="#<%=EP_alink%>"
71 leftmargin="3"
72 topmargin="0"
73 marginwidth="0"
74 marginheight="0"
75 background=".../<%= (EP_bgImg) %>"
76 <!--#include file=".../banner.asp" -->
77 <br>
78 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
79 <tr>
80 <td>
81 <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
82 <tr>
83 <td align="center">
84 <%
85 'check to see which Title Text file is selected
86 cycleDone = false
87 Dim titleTextFile
88
89 While (NOT rsTitleText.EOF)
90
91 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
92 titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
93 End If
94 rsTitleText.MoveNext
95
96 Wend
97 >
98 <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
99 <param name="movie" value=".../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='<%=EP_text%>'>Checkout</FONT></P>">
100 <param name=wmode value=transparent>
101 <param name=quality value=high>
102 <embed src=".../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='<%=EP_text%>'>Checkout</FONT></P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">
103 </embed>
104 </object> </td>
105 </tr>
106 <tr>
107 <td>
108 <hr color="#<%=EP_bordercolor%>">
109 </td>
110 </tr>
111 <tr>
112 <td>
113 <div align="center"><font face="sans-serif" size="2">Below is a list
114 of items in your Shopping Cart.<br>
115 <%
116 If (Request("checkout") <> "") Then
117 <a href="javascript:history.go(-3)">Click here to go back and continue shopping.</a>
118 <%
119 End If
120 <%
121 If (Request("checkoutLong") <> "") Then
122 <a href="javascript:history.go(-4)">Click here to go back and continue shopping.</a>
123 <%
124 End If
125 <%
126 <br>

```

```

131      &nbsp;
132      <%
133      If (Session("ID") <> "") Then
134      %>
135      </font></div>
136    </td>
137  </tr>
138  <tr>
139    <td>
140      <div align="center">
141        <table width="100%" border="0" cellpadding="1" cellspacing="1">
142          <tr>
143            <td width="5%"><b><font face="sans-serif" size="2">Quantity</font></b></td>
144            <td width="62%"><b><font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&Name
145              of Item(s)</font></b></td>
146            <td width="14%"><b><font face="sans-serif" size="2">Price</font></b></td>
147            <td width="14%"><b><font face="sans-serif" size="2"><b>S&amp;H</b></font></b></td>
148          </tr>
149          <%
150      If (NOT noItems) Then
151      i=0
152      While (i <= Ubound(splitItems))
153      %>
154          <tr>
155            <td width="5%">
156              <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></font>
157            t></div>
158            </td>
159            <%
160      rsProducts.MoveFirst()
161      While (NOT rsProducts.EOF)
162      %>
163          <%
164      If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
165
166      itemCost = rsProducts.Fields.Item("EP_Pprice").Value * Int(splitQTY(i))
167      shipCost = rsProducts.Fields.Item("EP_PshipPrice").Value * Int(splitQTY(i))
168      totalCost = totalCost + shipCost + itemCost
169      %>
170          <td width="62%"><font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&<%=
171      (rsProducts.Fields.Item("EP_Pname").Value)%></font></td>
172          <td width="14%"><font face="sans-serif" size="2"><%=FormatCurrency(itemCost)
173      %></font></td>
174          <% If (shipCost <> "") Then
175          %>
176          <td width="14%"><font size="2" face="sans-serif"><%=FormatCurrency(shipCost)
177          %></font></td>
178          <% End If
179          %>
180          <%
181      End If
182      %>
183          <%
184      rsProducts.MoveNext()
185      Wend
186      %>
187          </tr>
188          <%
189      i=i+1
190      Wend
191      End If
192      %>
193        </table>
194        <table width="100%" border="0" cellpadding="0" cellspacing="0">
195          <tr>
196            <td width="82%">
197              <div align="right"><b><font face="sans-serif" size="2">Grand

```



```

96         Total:</font></b></div>
97     </td>
98     <td width="18%">
99         <div align="right"><b><font face="sans-serif" size="2"><%=FormatCurrency(t
00otalCost)%></font></b></div>
01     </td>
02 </tr>
03 </table>
04 <form name="form1" method="post" action="">
05     <input type="submit" name="Submit" value="Click here to process your order." s
06     tyle="
07         border-color: #<%=EP_bordercolor%>;
08         border-style: groove;
09         border-width: 3px;
10         background-color: #<%=EP_bgcolor%>;
11         color: #<%=EP_text%>;
12         cursor: hand;">
13     <input type="hidden" name="checkout" value="true">
14 </form>
15 <%
16 Else
17 %>
18 <BR>
19 Your shopping cart is empty.
20 <%
21 End If
22 %>
23 <br>
24 </div>
25 </td>
26 </tr>
27 <tr>
28     <td>
29         <hr color="#<%=EP_bordercolor%>">
30     </td>
31 </tr>
32 <tr>
33     <td>
34         <div align="center"> </div>
35     </td>
36 </tr>
37 </table>
38 </body>
39 </html>
40 <%
41 rsProducts.Close()
42 %>
43 <%
44 rsAdminInfo.Close()
45 %>
46 <%
47 rsTitleText.Close()
48 %>
49
50

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
4  <!--#include file="../../../Connections/dbEPakAppearance.asp" -->
5  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
6  <%
7  set rsProductInfo = Server.CreateObject("ADODB.Recordset")
8  rsProductInfo.ActiveConnection = MM_dbEPakRecords_STRING
9  rsProductInfo.Source = "SELECT * FROM EP_catalog"
10 rsProductInfo.CursorType = 0
11 rsProductInfo.CursorLocation = 2
12 rsProductInfo.LockType = 3
13 rsProductInfo.Open()
14 rsProductInfo_numRows = 0
15 %>
16 <%
17 set rsCatFields = Server.CreateObject("ADODB.Recordset")
18 rsCatFields.ActiveConnection = MM_connePObjectProps_STRING
19 rsCatFields.Source = "SELECT * FROM catalog_booleans"
20 rsCatFields.CursorType = 0
21 rsCatFields.CursorLocation = 2
22 rsCatFields.LockType = 3
23 rsCatFields.Open()
24 rsCatFields_numRows = 0
25 %>
26 <%
27 set rsIsCartOn = Server.CreateObject("ADODB.Recordset")
28 rsIsCartOn.ActiveConnection = MM_dbEPakAppearance_STRING
29 rsIsCartOn.Source = "SELECT EPak_cart FROM pages"
30 rsIsCartOn.CursorType = 0
31 rsIsCartOn.CursorLocation = 2
32 rsIsCartOn.LockType = 3
33 rsIsCartOn.Open()
34 rsIsCartOn_numRows = 0
35 %>
36 <%
37 set rsTitleText = Server.CreateObject("ADODB.Recordset")
38 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
39 rsTitleText.Source = "SELECT * FROM titleText"
40 rsTitleText.CursorType = 0
41 rsTitleText.CursorLocation = 2
42 rsTitleText.LockType = 3
43 rsTitleText.Open()
44 rsTitleText_numRows = 0
45 %>
46 <%
47 ' *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
48
49 ' set the record count
50 rsProductInfo_total = rsProductInfo.RecordCount
51
52 ' set the number of rows displayed on this page
53 If (rsProductInfo_numRows < 0) Then
54     rsProductInfo_numRows = rsProductInfo_total
55 Elseif (rsProductInfo_numRows = 0) Then
56     rsProductInfo_numRows = 1
57 End If
58
59 ' set the first and last displayed record
60 rsProductInfo_first = 1
61 rsProductInfo_last = rsProductInfo_first + rsProductInfo_numRows - 1
62
63 ' if we have the correct record count, check the other stats
64 If (rsProductInfo_total <> -1) Then
65     If (rsProductInfo_first > rsProductInfo_total) Then rsProductInfo_first = rsProductInfo_total
66     If (rsProductInfo_last > rsProductInfo_total) Then rsProductInfo_last = rsProductInfo_total
67     If (rsProductInfo_numRows > rsProductInfo_total) Then rsProductInfo_numRows = rsProductInfo_
total

```

```

68 End If
69 %>
70 <%
71 ' *** Move To Record and Go To Record: declare variables
72
73 Set MM_rs      = rsProductInfo
74 MM_rsCount     = rsProductInfo_total
75 MM_size        = rsProductInfo_numRows
76 MM_uniqueCol   = "ID"
77 MM_paramName   = "ID"
78 MM_offset      = 0
79 MM_atTotal     = false
80 MM_paramIsDefined = false
81 If (MM_paramName <> "") Then
82     MM_paramIsDefined = (Request.QueryString(MM_paramName) <> "")
83 End If
84 %>
85 <%
86 ' *** Move To Specific Record: handle detail parameter
87
88 If (MM_paramIsDefined And MM_rsCount <> 0) Then
89
90     ' get the value of the parameter
91     param = Request.QueryString(MM_paramName)
92
93     ' find the record with the unique column value equal to the parameter value
94     MM_offset = 0
95     Do While (Not MM_rs.EOF)
96         If (Cstr(MM_rs.Fields.Item(MM_uniqueCol).Value) = param) Then
97             Exit Do
98         End If
99         MM_offset = MM_offset + 1
00         MM_rs.MoveNext
01     Loop
02
03     ' if not found, set the number of records and reset the cursor
04     If (MM_rs.EOF) Then
05         If (MM_rsCount < 0) Then MM_rsCount = MM_offset
06         If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
07         MM_offset = 0
08
09         ' reset the cursor to the beginning
10         If (MM_rs.CursorType > 0) Then
11             MM_rs.MoveFirst
12         Else
13             MM_rs.Close
14             MM_rs.Open
15         End If
16     End If
17
18 End If
19 %>
20 <%
21 ' *** Move To Record: if we dont know the record count, check the display range
22
23 If (MM_rsCount = -1) Then
24
25     ' walk to the end of the display range for this page
26     i = MM_offset
27     While (Not MM_rs.EOF And (MM_size < 0 Or i < MM_offset + MM_size))
28         MM_rs.MoveNext
29         i = i + 1
30     Wend
31
32     ' if we walked off the end of the recordset, set MM_rsCount and MM_size
33     If (MM_rs.EOF) Then
34         MM_rsCount = i
35         If (MM_size < 0 Or MM_size > MM_rsCount) Then MM_size = MM_rsCount
36     End If

```

```

37
38 ' if we walked off the end, set the offset based on page size
39 If (MM_rs.EOF And Not MM_paramIsDefined) Then
40     If (MM_offset > MM_rsCount - MM_size Or MM_offset = -1) Then
41         If ((MM_rsCount Mod MM_size) > 0) Then
42             MM_offset = MM_rsCount - (MM_rsCount Mod MM_size)
43         Else
44             MM_offset = MM_rsCount - MM_size
45         End If
46     End If
47 End If
48
49 ' reset the cursor to the beginning
50 If (MM_rs.CursorType > 0) Then
51     MM_rs.MoveFirst
52 Else
53     MM_rs.Requery
54 End If
55
56 ' move the cursor to the selected record
57 i = 0
58 While (Not MM_rs.EOF And i < MM_offset)
59     MM_rs.MoveNext
60     i = i + 1
61 Wend
62 End If
63 %>
64 <%
65 ' *** Move To Record: update recordset stats
66
67 ' set the first and last displayed record
68 rsProductInfo_first = MM_offset + 1
69 rsProductInfo_last = MM_offset + MM_size
70 If (MM_rsCount <> -1) Then
71     If (rsProductInfo_first > MM_rsCount) Then rsProductInfo_first = MM_rsCount
72     If (rsProductInfo_last > MM_rsCount) Then rsProductInfo_last = MM_rsCount
73 End If
74
75 ' set the boolean used by hide region to check if we are on the last record
76 MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM_rsCount)
77 %>
78 <!--#include file="../../global.asp" -->
79 <%
80 switchColors = true
81 fontColor = EP_bgcolor
82 backColor = EP_text
83
84 function swapColors()
85     If (switchColors <> true) Then
86         switchColors = true
87         fontColor = EP_bgcolor
88         backColor = EP_text
89     Else
90         switchColors = false
91         fontColor = EP_text
92         backColor = EP_bgcolor
93     End If
94 end function
95
96 %>
97 <html>
98 <head>
99 <title>Product Catalog</title>
100 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
101 </head>
102 <body bgcolor=fixed bgcolor="#<%= (EP_bgcolor) %>"
103     text="#<%=EP_text%>"
104     link="#<%=EP_link%>"

```

```

206 vlink="#<%=EP_vlink%>"
207 alink="#<%=EP_alink%>"
208 leftmargin="3"
209 topmargin="0"
210 marginwidth="0"
211 marginheight="0"
212 background=".../.../<%= (EP_bgImg) %>"
213 <!--#include file=".../.../banner.asp" -->
214 <br>
215 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
">
216 <tr>
217 <td>
218 <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
219 <tr>
220 <td align="center">
221 <%
222 'check to see which Title Text file is selected
223 cycleDone = false
224 Dim titleTextFile
225
226 While (NOT rsTitleText.EOF)
227
228 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
229 titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
230 End If
231 rsTitleText.MoveNext
232
233 Wend
234 >
235 <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
236 <param name="movie" value=".../.../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>">
237 <param name=wmode value=transparent>
238 <param name=quality value=high>
239 <embed src=".../.../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">
240 </embed>
241 </object> </td>
242 </tr>
243 <tr>
244 <td>
245 <hr color="#<%=EP_bordercolor%>">
246 </td>
247 </tr>
248 <tr>
249 <td>
250 <div align="center"><font face="sans-serif" size="2"><b><font size="3"><%= (rsProductInfo.Fields.Item("EP_Pname").Value) %></font></b></font></div>
251 </td>
252 </tr>
253 <tr>
254 <td>
255 <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.back()">Click
256 here to go back.</a></font></div>
257 </td>
258 </tr>
259 <tr>
260 <td>
261 <div align="center"><font face="sans-serif" size="2">
262 <%
263 If (rsCatFields.Fields.Item("EP_PboolFBIG").Value <> "False") Then
264 <%
265 <IMG SRC=".../.../images/catalog/<%= (rsProductInfo.Fields.Item("EP_PbigFile").Value) %>">
266 </div>
267 </td>
268 </tr>
269 </tr>
270 </table>
271 </td>
272 </tr>
273 </table>

```

```

65         <%
66         End If
67         %>
68         <br>
69         </font>
70         <table width="100%" cellpadding="0" cellspacing="0" bordercolor="<%=EP_bordercol
or%>">
71             <%
72             If (rsCatFields.Fields.Item("EP_PboolSKU").Value <> "False") Then
73                 swapColors()
74                 %>
75                 <tr bgcolor="#<%=backColor%>" valign="top">
76                     <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">SKU
: </font></td>
77                     <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_Psku").Value)%></font></td>
78                     </tr>
79                     <%
80             End If
81             %>
82             <%
83             If (rsCatFields.Fields.Item("EP_PboolPRC").Value <> "False") Then
84                 swapColors()
85                 %>
86                 <tr bgcolor="#<%=backColor%>" valign="top">
87                     <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Pri
ce: </font></td>
88                     <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
FormatCurrency(rsProductInfo.Fields.Item("EP_Pprice").Value)%></font></td>
89                     </tr>
90                     <%
91             End If
92             %>
93             <%
94             If (rsCatFields.Fields.Item("EP_PboolPRC2").Value <> "False") Then
95                 swapColors()
96                 %>
97                 <tr bgcolor="#<%=backColor%>" valign="top">
98                     <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Com
pare
99                     <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
FormatCurrency(rsProductInfo.Fields.Item("EP_PotherPrice").Value)%></font></td>
100                    </tr>
101                    <%
102            End If
103            %>
104            <%
105            If (rsCatFields.Fields.Item("EP_PboolWGT").Value <> "False") Then
106                swapColors()
107                %>
108                <tr bgcolor="#<%=backColor%>" valign="top">
109                    <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Wei
ght: </font></td>
110                    <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_Pweight").Value)%>&nbsp;<%= (rsProductInfo.Fields.Item("EP_Pweig
htType").Value)%></font></td>
111                    </tr>
112                    <%
113            End If
114            %>
115            <%
116            If (rsCatFields.Fields.Item("EP_PboolQTY").Value <> "False") Then
117                swapColors()
118                %>
119                <tr bgcolor="#<%=backColor%>" valign="top">
120                    <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Qua

```

```

ntity:</font></td>
24         <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_Pqty").Value)%></font></td>
25         </tr>
26         <%
27 End If
28 %>
29         <%
30 If (rsCatFields.Fields.Item("EP_PboolSHT").Value <> "False") Then
31     swapColors()
32 %>
33         <tr bgcolor="#<%=backColor%>" valign="top">
34             <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Shi
ps
35                 via:</font></td>
36             <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_PshipType").Value)%></font></td>
37         </tr>
38         <%
39 End If
40 %>
41         <%
42 If (rsCatFields.Fields.Item("EP_PboolSHP").Value <> "False") Then
43     swapColors()
44 %>
45         <tr bgcolor="#<%=backColor%>" valign="top">
46             <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">S&a
mp;H
47                 Cost:</font></td>
48             <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
FormatCurrency(rsProductInfo.Fields.Item("EP_PshipPrice").Value)%></font></td>
49         </tr>
50         <%
51 End If
52 %>
53         <%
54 If (rsCatFields.Fields.Item("EP_PboolSDES").Value <> "False") Then
55     swapColors()
56 %>
57         <tr bgcolor="#<%=backColor%>" valign="top">
58             <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Sho
rt&nbsp;Description:</font><b><font face="sans-serif" size="2" color="#<%=fontColor%>">
59                 </font></b></td>
60             <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_PshortDesc").Value)%></font></td>
61         </tr>
62         <%
63 End If
64 %>
65         <%
66 If (rsCatFields.Fields.Item("EP_PboolLDES").Value <> "False") Then
67     swapColors()
68 %>
69         <tr bgcolor="#<%=backColor%>" valign="top">
70             <td width="29%"><font face="sans-serif" size="2" color="#<%=fontColor%>">Des
cription:</font></td>
71             <td width="71%"><font face="sans-serif" size="2" color="#<%=fontColor%>"><%=
(rsProductInfo.Fields.Item("EP_PlongDesc").Value)%></font></td>
72         </tr>
73         <%
74 End If
75 %>
76         <%
77 If (rsCatFields.Fields.Item("EP_PboolMNFL").Value <> "False") Then
78 %>
79         <tr>
80             <td width="29%">&nbsp;</td>
81             <td width="71%">
82                 <% If (rsProductInfo.Fields.Item("EP_PmanfLink").Value <> "na") Then %>

```

```

83         <font face="sans-serif" size="2"><A HREF="<%=rsProductInfo.Fields.Item("E
P_PmanfLink").Value)%">Click
84         here for more.</A></font>
85         <% End If %>
86     </td>
87 </tr>
88 <%
89 End If
90 %>
91     </table>
92     <br>
93     <%
94     If (rsIsCartOn.Fields.Item("EPak_cart").Value = "True" AND rsProductInfo.Fields.
Item("EP_PcanOrder").Value = "True") Then
95         %>
96         <font face="sans-serif" size="2"><a href="cartAdd.asp?ID=<%=rsProductInfo.Field
s.Item("ID").Value)%">Click
97         here to add this item to your Shopping Cart.</a></font>
98         <% End If %>
99     </div>
00 </td>
01 </tr>
02 <tr>
03     <td>
04         <hr color="#<%=EP_bordercolor%>">
05     </td>
06 </tr>
07 <tr>
08     <td>
09         <div align="center"> </div>
10     </td>
11 </tr>
12 </table>
13 </td>
14 </tr>
15 </table>
16 </body>
17 </html>
18 <%
19 rsProductInfo.Close()
20 %>
21 <%
22 rsCatFields.Close()
23 %>
24 <%
25 rsIsCartOn.Close()
26 %>
27 <%
28 rsTitleText.Close()
29 %>
30

```



```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakObjectProps.asp" -->
4  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
5  <%
6  Dim rsParentCats_MMColParam
7  rsParentCats_MMColParam = "1"
8  if (Request.QueryString("ParentID") <> "") then rsParentCats_MMColParam = Request.QueryString
   ("ParentID")
9  %>
10 <%
11 set rsParentCats = Server.CreateObject("ADODB.Recordset")
12 rsParentCats.ActiveConnection = MM_dbEPakRecords_STRING
13 rsParentCats.Source = "SELECT * FROM ProotCats WHERE ID = " + Replace(rsParentCats_MMColParam
   , "'", "'') + ""
14 rsParentCats.CursorType = 0
15 rsParentCats.CursorLocation = 2
16 rsParentCats.LockType = 3
17 rsParentCats.Open()
18 rsParentCats_numRows = 0
19 %>
20 <%
21 set rsSubCats = Server.CreateObject("ADODB.Recordset")
22 rsSubCats.ActiveConnection = MM_dbEPakRecords_STRING
23 rsSubCats.Source = "SELECT * FROM PsubCats"
24 rsSubCats.CursorType = 0
25 rsSubCats.CursorLocation = 2
26 rsSubCats.LockType = 3
27 rsSubCats.Open()
28 rsSubCats_numRows = 0
29 %>
30 <%
31 Dim rsProductPreview_MMColParam
32 rsProductPreview_MMColParam = "1"
33 if (Request.QueryString("ID") <> "") then rsProductPreview_MMColParam = Request.QueryString("
   ID")
34 %>
35 <%
36 set rsProductPreview = Server.CreateObject("ADODB.Recordset")
37 rsProductPreview.ActiveConnection = MM_dbEPakRecords_STRING
38 rsProductPreview.Source = "SELECT * FROM EP_catalog WHERE EP_PcatParent = " + Replace(rsProduc
   tPreview_MMColParam, "'", "'') + ""
39 rsProductPreview.CursorType = 0
40 rsProductPreview.CursorLocation = 2
41 rsProductPreview.LockType = 3
42 rsProductPreview.Open()
43 rsProductPreview_numRows = 0
44 %>
45 <%
46 set rsCatFields = Server.CreateObject("ADODB.Recordset")
47 rsCatFields.ActiveConnection = MM_connEPObjectProps_STRING
48 rsCatFields.Source = "SELECT * FROM catalog_booleans"
49 rsCatFields.CursorType = 0
50 rsCatFields.CursorLocation = 2
51 rsCatFields.LockType = 3
52 rsCatFields.Open()
53 rsCatFields_numRows = 0
54 %>
55 <%
56 set rsTitleText = Server.CreateObject("ADODB.Recordset")
57 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
58 rsTitleText.Source = "SELECT * FROM titleText"
59 rsTitleText.CursorType = 0
60 rsTitleText.CursorLocation = 2
61 rsTitleText.LockType = 3
62 rsTitleText.Open()
63 rsTitleText_numRows = 0
64 %>
65 <%

```

```

66 Dim Repeat1_numRows
67 Repeat1_numRows = 10
68 Dim Repeat1_index
69 Repeat1_index = 0
70 rsProductPreview_numRows = rsProductPreview_numRows + Repeat1_numRows
71 %>
72 <%
73 ' *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
74
75 ' set the record count
76 rsSubCats_total = rsSubCats.RecordCount
77
78 ' set the number of rows displayed on this page
79 If (rsSubCats_numRows < 0) Then
80     rsSubCats_numRows = rsSubCats_total
81 ElseIf (rsSubCats_numRows = 0) Then
82     rsSubCats_numRows = 1
83 End If
84
85 ' set the first and last displayed record
86 rsSubCats_first = 1
87 rsSubCats_last = rsSubCats_first + rsSubCats_numRows - 1
88
89 ' if we have the correct record count, check the other stats
90 If (rsSubCats_total <> -1) Then
91     If (rsSubCats_first > rsSubCats_total) Then rsSubCats_first = rsSubCats_total
92     If (rsSubCats_last > rsSubCats_total) Then rsSubCats_last = rsSubCats_total
93     If (rsSubCats_numRows > rsSubCats_total) Then rsSubCats_numRows = rsSubCats_total
94 End If
95 %>
96 <%
97 ' *** Move To Record and Go To Record: declare variables
98
99 Set MM_rs = rsSubCats
00 MM_rsCount = rsSubCats_total
01 MM_size = rsSubCats_numRows
02 MM_uniqueCol = "ID"
03 MM_paramName = "ID"
04 MM_offset = 0
05 MM_atTotal = false
06 MM_paramIsDefined = false
07 If (MM_paramName <> "") Then
08     MM_paramIsDefined = (Request.QueryString(MM_paramName) <> "")
09 End If
10 %>
11 <%
12 ' *** Move To Specific Record: handle detail parameter
13
14 If (MM_paramIsDefined And MM_rsCount <> 0) Then
15
16     ' get the value of the parameter
17     param = Request.QueryString(MM_paramName)
18
19     ' find the record with the unique column value equal to the parameter value
20     MM_offset = 0
21     Do While (Not MM_rs.EOF)
22         If (Cstr(MM_rs.Fields.Item(MM_uniqueCol).Value) = param) Then
23             Exit Do
24         End If
25         MM_offset = MM_offset + 1
26         MM_rs.MoveNext
27     Loop
28
29     ' if not found, set the number of records and reset the cursor
30     If (MM_rs.EOF) Then
31         If (MM_rsCount < 0) Then MM_rsCount = MM_offset
32         If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
33         MM_offset = 0
34

```

```

35 ' reset the cursor to the beginning
36 If (MM_rs.CursorType > 0) Then
37     MM_rs.MoveFirst
38 Else
39     MM_rs.Close
40     MM_rs.Open
41 End If
42 End If
43
44 End If
45 %>
46 <%
47 ' *** Move To Record: if we dont know the record count, check the display range
48
49 If (MM_rsCount = -1) Then
50
51     ' walk to the end of the display range for this page
52     i = MM_offset
53     While (Not MM_rs.EOF And (MM_size < 0 Or i < MM_offset + MM_size))
54         MM_rs.MoveNext
55         i = i + 1
56     Wend
57
58     ' if we walked off the end of the recordset, set MM_rsCount and MM_size
59     If (MM_rs.EOF) Then
60         MM_rsCount = i
61         If (MM_size < 0 Or MM_size > MM_rsCount) Then MM_size = MM_rsCount
62     End If
63
64     ' if we walked off the end, set the offset based on page size
65     If (MM_rs.EOF And Not MM_paramIsDefined) Then
66         If (MM_offset > MM_rsCount - MM_size Or MM_offset = -1) Then
67             If ((MM_rsCount Mod MM_size) > 0) Then
68                 MM_offset = MM_rsCount - (MM_rsCount Mod MM_size)
69             Else
70                 MM_offset = MM_rsCount - MM_size
71             End If
72         End If
73     End If
74
75     ' reset the cursor to the beginning
76     If (MM_rs.CursorType > 0) Then
77         MM_rs.MoveFirst
78     Else
79         MM_rs.Requery
80     End If
81
82     ' move the cursor to the selected record
83     i = 0
84     While (Not MM_rs.EOF And i < MM_offset)
85         MM_rs.MoveNext
86         i = i + 1
87     Wend
88 End If
89 %>
90 <%
91 ' *** Move To Record: update recordset stats
92
93 ' set the first and last displayed record
94 rsSubCats_first = MM_offset + 1
95 rsSubCats_last = MM_offset + MM_size
96 If (MM_rsCount <> -1) Then
97     If (rsSubCats_first > MM_rsCount) Then rsSubCats_first = MM_rsCount
98     If (rsSubCats_last > MM_rsCount) Then rsSubCats_last = MM_rsCount
99 End If
100
101 ' set the boolean used by hide region to check if we are on the last record
102 MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM_rsCount)
103 %>

```

```

204 <%
205 If (NOT rsProductPreview.EOF) Then
206     rsProductPreview.MoveFirst()
207     recordTotal = 0
208     While (NOT rsProductPreview.EOF)
209         rsProductPreview.MoveNext()
210         recordTotal = recordTotal + 1
211     Wend
212     rsProductPreview.MoveFirst()
213 End If
214
215 If (Request("catIndex") <> "") Then
216     catIndex = Request("catIndex") + 10
217     If (NOT rsProductPreview.EOF) Then
218         rsProductPreview.MoveFirst
219         rsProductPreview.Move(Request("catIndex"))
220     End If
221 Else
222     catIndex = 10
223 End If
224
225 %>
226 <!--#include file="../../../global.asp" -->
227 <html>
228 <head>
229 <title>Product Catalog</title>
230 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
231 </head>
232 <body bgcolor="#<%= (EP_bgcolor) %>"
233     text="#<%=EP_text%>"
234     link="#<%=EP_link%>"
235     vlink="#<%=EP_vlink%>"
236     alink="#<%=EP_alink%>"
237     leftmargin="3"
238     topmargin="0"
239     marginwidth="0"
240     marginheight="0"
241     background="../../../<%= (EP_bgImg) %>">
242 <!--#include file="../../../banner.asp" -->
243 <br>
244 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
245 ">
246     <tr>
247         <td>
248             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
249                 <tr>
250                     <td align="center">
251                         <%
252                             'check to see which Title Text file is selected
253                             cycleDone = false
254                             Dim titleTextFile
255                             While (NOT rsTitleText.EOF)
256                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
257                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
258                                 End If
259                                 rsTitleText.MoveNext
260                             Wend
261                             %>
262                             <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
263 load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
264 40">
265                                 <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P A
266 LIGN='CENTER'><FONT COLOR='<%=EP_text%>'>Product Catalog</FONT></P>">
267                                 <param name=wmode value=transparent>
268                                 <param name=quality value=high>
269                                 <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><
270 FONT COLOR='<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
271
272 \EPack Startup Files\templat s\1\catalogView.asp: 4/7

```

```

cromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="480" height="40">
68     </embed>
69     </object> </td>
70 </tr>
71 <tr>
72     <td>
73         <hr color="#<%=EP_bordercolor%>">
74     </td>
75 </tr>
76 <tr>
77     <td>
78         <div align="center"><font face="sans-serif" size="2">Category:&nbsp;&nbsp;&nbsp;<i><b><%
=(rsParentCats.Fields.Item("EP_PRootCatName").Value)&nbsp;&nbsp;&nbsp;/&nbsp;&nbsp;&nbsp;<%= (rsSubCats.Fields.Item("
EP_PsubCatName").Value)&nbsp;</b></i></font></div>
79     </td>
80 </tr>
81 <tr>
82     <td>
83         <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.b
ack()">Click
84             here to go back.</a><br>
85             &nbsp;&nbsp;&nbsp;<br>
86         </font>
87         <%
88             If (recordTotal > 10) Then
89                 <%
90                     <font face="Arial, Helvetica, sans-serif" size="2">Current Page
91                     #:&nbsp;&nbsp;&nbsp;<b><%= (catIndex / 10) %></b><br>
92                     <% If ((catIndex-20) >= 0) Then %>
93                     <a href="catalogView.asp?catIndex=<%= (catIndex-20) %>&ID=<%=Request("ID") %>&Paren
tID=<%=Request("ParentID") %>">Previous
94                     Page</a>
95                     <% End If %>
96                     <% If (recordTotal > catIndex) Then %>
97                     &nbsp;&nbsp;&nbsp;&nbsp;<a href="catalogView.asp?catIndex=<%=catIndex%>&ID=<%=Request(
"ID") %>&ParentID=<%=Request("ParentID") %>">Next
98                     Page</a>
99                     <% End If %>
100                    <%
101                    If (recordTotal > (Int(recordTotal / 10)*10) ) Then
102                        pageNum = Int(recordTotal / 10) + 1
103                    Else
104                        pageNum = Int(recordTotal / 10)
105                    End If
106                    <%
107                    </font><font face="sans-serif" size="2"> </font><font face="Arial, Helvetica, sa
ns-serif" size="2">
108                    <%
109                    pgCount = 0
110                    If (pageNum > 1) Then
111                        Response.Write("<BR>Choose a page number:&nbsp;&nbsp;&nbsp;")
112                    End If
113
114                    While (pgCount < pageNum)
115                        If (pgCount <> ((catIndex / 10)-1)) Then
116                            Response.Write("<A HREF='catalogView.asp?catIndex=" & (pgCount * 10) & "&ID=" &
Request("ID") & "&ParentID=" & Request("ParentID") & "'>" & pgCount+1 & "</A>&nbsp;&nbsp;&nbsp;")
117                        Else
118                            Response.Write(pgCount+1 & "&nbsp;&nbsp;&nbsp;")
119                        End If
120                        pgCount = pgCount+1
121                    Wend
122                    <%
123                    <%
124                    End If
125                    <%
126                    </font><font face="sans-serif" size="2"><br>
127                    </font>

```

```

28         <table width="100%" border="0">
29             <%
30 While ((Repeat1_numRows <> 0) AND (NOT rsProductPreview.EOF))
31 %>
32             <tr>
33                 <td colspan="3">&nbsp;</td>
34             </tr>
35             <tr>
36                 <td rowspan="2">
37                     <%
38 If (rsCatFields.Fields.Item("EP_PboolFTHM").Value <> "False") Then
39 %>
40                     <IMG SRC="../../images/thumbs/<%=rsProductPreview.Fields.Item("EP_PthumFi
le").Value)%>">
41                     <%
42 End If
43 %>
44                 </td>
45                 <td><font face="sans-serif" size="2"><%=rsProductPreview.Fields.Item("EP_Pn
ame").Value)%><br>
46                 <a href="catalogViewItem.asp?ID=<%=rsProductPreview.Fields.Item("ID").Val
ue)%>">(click
47                     here for details)</a><br>
48                 </font></td>
49                 <td rowspan="2"><font face="sans-serif" size="2">
50                     <%
51 If (rsCatFields.Fields.Item("EP_PboolPRC").Value <> "False") Then
52 %>
53                     <%=FormatCurrency(rsProductPreview.Fields.Item("EP_Pprice").Value)%>
54                     <% End If %>
55                 </font></td>
56             </tr>
57             <tr>
58                 <td><font face="sans-serif" size="1">
59                     <%
60 If (rsCatFields.Fields.Item("EP_PboolSDES").Value <> "False") Then
61 %>
62                     <%=rsProductPreview.Fields.Item("EP_PshortDesc").Value)%>
63                     <% End If %>
64                 </font></td>
65             </tr>
66         <%
67 Repeat1_index=Repeat1_index+1
68 Repeat1_numRows=Repeat1_numRows-1
69 rsProductPreview.MoveNext()
70 Wend
71 %>
72     </table>
73     <font face="Arial, Helvetica, sans-serif" size="2">
74     <%
75 If (recordTotal > 10) Then
76 %>
77     Current Page #:&nbsp;&nbsp;&nbsp;<b><%=catIndex / 10)%></b><br>
78     <% If ((catIndex-20) >= 0) Then %>
79     <a href="catalogView.asp?catIndex=<%=catIndex-20)%>&ID=<%=Request("ID")%>&Paren
tID=<%=Request("ParentID")%>">Previous
80     Page</a>
81     <% End If %>
82     <% If (recordTotal > catIndex) Then %>
83     &nbsp;&nbsp;&nbsp;&nbsp;<a href="catalogView.asp?catIndex=<%=catIndex%>&ID=<%=Request(
"ID")%>&ParentID=<%=Request("ParentID")%>">Next
84     Page</a>
85     <% End If %>
86     <%
87 If (recordTotal > (Int(recordTotal / 10)*10) ) Then
88     pageNum = Int(recordTotal / 10) + 1
89 Else
90     pageNum = Int(recordTotal / 10)
91 End If

```



```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsParentCats = Server.CreateObject("ADODB.Recordset")
6  rsParentCats.ActiveConnection = MM_dbEPakRecords_STRING
7  rsParentCats.Source = "SELECT * FROM ProotCats"
8  rsParentCats.CursorType = 0
9  rsParentCats.CursorLocation = 2
10 rsParentCats.LockType = 3
11 rsParentCats.Open()
12 rsParentCats_numRows = 0
13 %>
14 <%
15 set rsSubCats = Server.CreateObject("ADODB.Recordset")
16 rsSubCats.ActiveConnection = MM_dbEPakRecords_STRING
17 rsSubCats.Source = "SELECT * FROM PsubCats"
18 rsSubCats.CursorType = 0
19 rsSubCats.CursorLocation = 2
20 rsSubCats.LockType = 3
21 rsSubCats.Open()
22 rsSubCats_numRows = 0
23 %>
24 <%
25 set rsTitleText = Server.CreateObject("ADODB.Recordset")
26 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
27 rsTitleText.Source = "SELECT * FROM titleText"
28 rsTitleText.CursorType = 0
29 rsTitleText.CursorLocation = 2
30 rsTitleText.LockType = 3
31 rsTitleText.Open()
32 rsTitleText_numRows = 0
33 %>
34 <%
35 Dim Repeat1_numRows
36 Repeat1_numRows = -1
37 Dim Repeat1_index
38 Repeat1_index = 0
39 rsSubCats_numRows = rsSubCats_numRows + Repeat1_numRows
40 %>
41 <%
42 ' *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
43
44 ' set the record count
45 rsParentCats_total = rsParentCats.RecordCount
46
47 ' set the number of rows displayed on this page
48 If (rsParentCats_numRows < 0) Then
49     rsParentCats_numRows = rsParentCats_total
50 ElseIf (rsParentCats_numRows = 0) Then
51     rsParentCats_numRows = 1
52 End If
53
54 ' set the first and last displayed record
55 rsParentCats_first = 1
56 rsParentCats_last = rsParentCats_first + rsParentCats_numRows - 1
57
58 ' if we have the correct record count, check the other stats
59 If (rsParentCats_total <> -1) Then
60     If (rsParentCats_first > rsParentCats_total) Then rsParentCats_first = rsParentCats_total
61     If (rsParentCats_last > rsParentCats_total) Then rsParentCats_last = rsParentCats_total
62     If (rsParentCats_numRows > rsParentCats_total) Then rsParentCats_numRows = rsParentCats_total
63 End If
64 %>
65 <%
66 ' *** Move To Record and Go To Record: declare variables
67
68 Set MM_rs = rsParentCats

```



```

69 MM_rsCount    = rsParentCats_total
70 MM_size       = rsParentCats_numRows
71 MM_uniqueCol  = "ID"
72 MM_paramName  = "ID"
73 MM_offset = 0
74 MM_atTotal = false
75 MM_paramIsDefined = false
76 If (MM_paramName <> "") Then
77     MM_paramIsDefined = (Request.QueryString(MM_paramName) <> "")
78     idStr = CStr(Request.QueryString(MM_paramName))
79 End If
80 %>
81 <%
82 ' *** Move To Specific Record: handle detail parameter
83
84 If (MM_paramIsDefined And MM_rsCount <> 0) Then
85
86     ' get the value of the parameter
87     param = Request.QueryString(MM_paramName)
88
89     ' find the record with the unique column value equal to the parameter value
90     MM_offset = 0
91     Do While (Not MM_rs.EOF)
92         If (CStr(MM_rs.Fields.Item(MM_uniqueCol).Value) = param) Then
93             Exit Do
94         End If
95         MM_offset = MM_offset + 1
96         MM_rs.MoveNext
97     Loop
98
99     ' if not found, set the number of records and reset the cursor
100    If (MM_rs.EOF) Then
101        If (MM_rsCount < 0) Then MM_rsCount = MM_offset
102        If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
103        MM_offset = 0
104
105        ' reset the cursor to the beginning
106        If (MM_rs.CursorType > 0) Then
107            MM_rs.MoveFirst
108        Else
109            MM_rs.Close
110            MM_rs.Open
111        End If
112    End If
113
114 End If
115 %>
116 <%
117 ' *** Move To Record: if we dont know the record count, check the display range
118
119 If (MM_rsCount = -1) Then
120
121     ' walk to the end of the display range for this page
122     i = MM_offset
123     While (Not MM_rs.EOF And (MM_size < 0 Or i < MM_offset + MM_size))
124         MM_rs.MoveNext
125         i = i + 1
126     Wend
127
128     ' if we walked off the end of the recordset, set MM_rsCount and MM_size
129     If (MM_rs.EOF) Then
130         MM_rsCount = i
131         If (MM_size < 0 Or MM_size > MM_rsCount) Then MM_size = MM_rsCount
132     End If
133
134     ' if we walked off the end, set the offset based on page size
135     If (MM_rs.EOF And Not MM_paramIsDefined) Then
136         If (MM_offset > MM_rsCount - MM_size Or MM_offset = -1) Then
137             If ((MM_rsCount Mod MM_size) > 0) Then

```

```

138     MM_offset = MM_rsCount - (MM_rsCount Mod MM_size)
139 Else
140     MM_offset = MM_rsCount - MM_size
141 End If
142 End If
143 End If
144
145 ' reset the cursor to the beginning
146 If (MM_rs.CursorType > 0) Then
147     MM_rs.MoveFirst
148 Else
149     MM_rs.Requery
150 End If
151
152 ' move the cursor to the selected record
153 i = 0
154 While (Not MM_rs.EOF And i < MM_offset)
155     MM_rs.MoveNext
156     i = i + 1
157 Wend
158 End If
159 %>
160 <%
161 ' *** Move To Record: update recordset stats
162
163 ' set the first and last displayed record
164 rsParentCats_first = MM_offset + 1
165 rsParentCats_last = MM_offset + MM_size
166 If (MM_rsCount <> -1) Then
167     If (rsParentCats_first > MM_rsCount) Then rsParentCats_first = MM_rsCount
168     If (rsParentCats_last > MM_rsCount) Then rsParentCats_last = MM_rsCount
169 End If
170
171 ' set the boolean used by hide region to check if we are on the last record
172 MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM_rsCount)
173 %>
174 <!--#include file="../../../global.asp" -->
175 <html>
176 <head>
177 <title>Product Catalog</title>
178 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
179 </head>
180 <body bgcolor="#<%= (EP_bgcolor) %>"
181     text="#<%=EP_text%>"
182     link="#<%=EP_link%>"
183     vlink="#<%=EP_vlink%>"
184     alink="#<%=EP_alink%>"
185     leftmargin="3"
186     topmargin="0"
187     marginwidth="0"
188     marginheight="0"
189     background="../../../<%= (EP_bgImg) %>">
190 <!--#include file="../../../banner.asp" -->
191 <br>
192 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellspacing="0"
193 >
194     <tr>
195     <td>
196         <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
197         <tr>
198         <td align="center">
199             <%
200                 'check to see which Title Text file is selected
201                 cycleDone = false
202                 Dim titleTextFile
203
204                 While (NOT rsTitleText.EOF)
205                     If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then

```

```

206         titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
207     End If
208     rsTitleText.MoveNext
209 Wend
210 %>
211 <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
40">
212     <param name="movie" value="../../../banners/titleText/<%=titleTextFile)%>?txt=<P A
LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>">
213     <param name=wmode value=transparent>
214     <param name=quality value=high>
215     <embed src="../../../banners/titleText/<%=titleTextFile)%>?txt=<P ALIGN='CENTER'><
FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
cromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="480" height="40">
216     </embed>
217 </object> </td>
218 </tr>
219 <tr>
220 <td>
221     <hr color="#<%=EP_bordercolor%>">
222 </td>
223 </tr>
224 <tr>
225 <td>
226     <div align="center"><font face="sans-serif" size="2">Category:&nbsp;&nbsp;&nbsp;<i><b><%=
(rsParentCats.Fields.Item("EP_PRootCatName").Value)%></b></i>&nbsp;&nbsp;&nbsp;</font></div>
227     </td>
228 </tr>
229 <tr>
230 <td>
231     <div align="center"><font face="sans-serif" size="2"><a href="javascript:history.b
ack()">Click
232     here to go back.</a></font></div>
233     </td>
234 </tr>
235 <tr>
236 <td>
237     <div align="center">&nbsp;&nbsp;&nbsp;</div>
238     </td>
239 </tr>
240 <tr>
241 <td>
242     <div align="center"><font face="sans-serif" size="2">Choose a sub-category:</font>
</div>
243     </td>
244 </tr>
245 <tr>
246 <td>
247     <div align="center">&nbsp;&nbsp;&nbsp;<br>
248     <font face="sans-serif" size="2">|
249     <%
250 While ((Repeat1__numRows <> 0) AND (NOT rsSubCats.EOF))
251
252 If (CStr(rsSubCats.Fields.Item("EP_PparentCat").Value) = idStr) Then
253 %>
254     <a href="catalogView.asp?ID=<%=rsSubCats.Fields.Item("ID").Value)%>&ParentID=<%=
Int(idStr)%>"><%=rsSubCats.Fields.Item("EP_PsubCatName").Value)%></a>&nbsp;&nbsp;&nbsp;|
255     <%
256 End If
257 %>
258     <%
259 Repeat1__index=Repeat1__index+1
260 Repeat1__numRows=Repeat1__numRows-1
261 rsSubCats.MoveNext()
262 Wend
263 %>
264     </font></div>

```

```
265         </td>
266     </tr>
267 <tr>
268     <td>
269         <hr color="#<%=EP_bordercolor%>">
270     </td>
271 </tr>
272 <tr>
273     <td>
274         <div align="center"> </div>
275     </td>
276 </tr>
277 </table>
278 </td>
279 </tr>
280 </table>
281 </body>
282 </html>
283 <%
284 rsParentCats.Close()
285 %>
286 <%
287 rsSubCats.Close()
288 %>
289 <%
290 rsTitleText.Close()
291 %>
292
```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsParentCats = Server.CreateObject("ADODB.Recordset")
6  rsParentCats.ActiveConnection = MM_dbEPakRecords_STRING
7  rsParentCats.Source = "SELECT * FROM ProotCats"
8  rsParentCats.CursorType = 0
9  rsParentCats.CursorLocation = 2
10 rsParentCats.LockType = 3
11 rsParentCats.Open()
12 rsParentCats_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 Dim Repeat1_numRows
26 Repeat1_numRows = -1
27 Dim Repeat1_index
28 Repeat1_index = 0
29 rsParentCats_numRows = rsParentCats_numRows + Repeat1_numRows
30 %>
31 <!--#include file="../../../global.asp" -->
32 <html>
33 <head>
34 <title>Product Catalog</title>
35 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
36 </head>
37 <body bgcolor="#<%=EP_bgcolor)%%"
38     text="#<%=EP_text%"
39     link="#<%=EP_link%"
40     vlink="#<%=EP_vlink%"
41     alink="#<%=EP_alink%"
42     leftmargin="3"
43     topmargin="0"
44     marginwidth="0"
45     marginheight="0"
46     background="../../../<%=EP_bgImg)%%">
47 <!--#include file="../../../banner.asp" -->
48 <br>
49 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%" cellpadding="0"
50 <tr>
51 <td>
52     <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%">
53 <tr>
54 <td align="center">
55     <%
56     'check to see which Title Text file is selected
57     cycleDone = false
58     Dim titleTextFile
59
60     While (NOT rsTitleText.EOF)
61
62         If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
63             titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
64         End If
65         rsTitleText.MoveNext
66     Wend
67     %>
68     <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
EPack Startup Files\templat s\1\catal g.asp: 1/2

```

```

load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
40">
69         <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P A
ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>">
70         <param name=wmode value=transparent>
71         <param name=quality value=high>
72         <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><
FONT COLOR='#<%=EP_text%>'>Product Catalog</FONT></P>" quality=high pluginspage="http://www.ma
cromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-
shockwave-flash" width="480" height="40">
73         </embed>
74     </object> </td>
75 </tr>
76 <tr>
77     <td>
78         <hr color="#<%=EP_bordercolor%>">
79     </td>
80 </tr>
81 <tr>
82     <td>
83         <div align="center"><font face="sans-serif" size="2"><b>Select a category
84         you would like to browse:<br>
85         &nbsp;&nbsp;&nbsp;</b></font></div>
86     </td>
87 </tr>
88 <tr>
89     <td>
90         <div align="center"><font face="sans-serif" size="2">|
91         <%
92 While ((Repeat1__numRows <> 0) AND (NOT rsParentCats.EOF))
93 %>
94         <A HREF="catalogSubCats.asp?ID=<%= (rsParentCats.Fields.Item("ID").Value) %>"><%= (
rsParentCats.Fields.Item("EP_PRootCatName").Value) %></A>&nbsp;&nbsp;&nbsp;|
95         <%
96 Repeat1__index=Repeat1__index+1
97 Repeat1__numRows=Repeat1__numRows-1
98 rsParentCats.MoveNext()
99 Wend
00 %>
01         </font></div>
02     </td>
03 </tr>
04 <tr>
05     <td align="center">&nbsp;&nbsp;&nbsp;</td>
06 </tr>
07 <tr>
08     <td>
09         <hr color="#<%=EP_bordercolor%>">
10     </td>
11 </tr>
12 <tr>
13     <td>
14         <div align="center"> </div>
15     </td>
16 </tr>
17 </table>
18 </td>
19 </tr>
20 </table>
21 </body>
22 </html>
23 <%
24 rsParentCats.Close()
25 %>
26 <%
27 rsTitleText.Close()
28 %>
29

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsProducts = Server.CreateObject("ADODB.Recordset")
6  rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
7  rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice FROM catalog"
8  rsProducts.CursorType = 0
9  rsProducts.CursorLocation = 2
10 rsProducts.LockType = 3
11 rsProducts.Open()
12 rsProducts_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 ' i_val
26 ' Remove items from the Sessions ID and QTY arrays
27 ' First split the strings into arrays,
28 ' then use the i_val to empty the array point
29 ' somehow need to remove the i point entirely so all other
30 ' values move forward in the array.
31 ' Then rejoin the arrays back to Session strings.
32
33 If (Request.Form("i_val") <> "") Then
34     qtyStr = Session("QTY")
35     idStr = Session("ID")
36
37     qtySplit = Split(qtyStr, "|")
38     idSplit = Split(idStr, "|")
39
40     i=0
41     Session("ID") = ""
42     Session("QTY") = ""
43     While( i < Ubound(qtySplit) )
44         If ( i <> Int(Request.Form("i_val")) ) Then
45             Session("ID") = Session("ID") & CStr(idSplit(i)) & "|"
46             Session("QTY") = Session("QTY") & CStr(qtySplit(i)) & "|"
47         End If
48         i = i+1
49     Wend
50
51 End If
52
53
54
55 %>
56 <%
57 ' cart_qty is numeric field
58 ' prod_id is ID field (hidden)
59 If (Session("QTY") <> "" AND Session("ID") <> "") Then
60     itemsStr = Session("ID")
61     qtyStr = Session("QTY")
62
63     splitItems = Split(itemsStr, "|")
64     splitQTY = Split(qtyStr, "|")
65
66 End If
67
68 If (Session("QTY") = "") Then
69     noItems = true

```

```

70 End If
71 %>
72 <!--#include file="../../../global.asp" -->
73 <html>
74 <head>
75 <title>Shopping Cart - Remove Items</title>
76 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
77 </head>
78 <body bgcolor="#<%= (EP_bgcolor) %>"
79     text="#<%=EP_text%>"
80     link="#<%=EP_link%>"
81     vlink="#<%=EP_vlink%>"
82     alink="#<%=EP_alink%>"
83     leftmargin="3"
84     topmargin="0"
85     marginwidth="0"
86     marginheight="0"
87     background="../../../<%= (EP_bgImg) %>">
88 <!--#include file="../../../banner.asp" -->
89 <br>
90 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellspacing="0"
">
91     <tr>
92         <td>
93             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
94                 <tr>
95                     <td align="center">
96                         <%
97                             'check to see which Title Text file is selected
98                             cycleDone = false
99                             Dim titleTextFile
100
101                             While (NOT rsTitleText.EOF)
102
103                                 If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
104                                     titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
105                                 End If
106                                 rsTitleText.MoveNext
107                             Wend
108                         %>
109                         <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http://down
load.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="
40">
110                             <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P A
LIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>Shopping Cart - Remove Items</FONT></P>">
111                             <param name=wmode value=transparent>
112                             <param name=quality value=high>
113                             <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><
FONT COLOR='#<%=EP_text%>'>Shopping Cart - Remove Items</FONT></P>" quality=high pluginspage="
http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="a
pplication/x-shockwave-flash" width="480" height="40">
114                             </embed>
115                         </object> </td>
116                     </tr>
117                     <tr>
118                         <td>
119                             <hr color="#<%=EP_bordercolor%>">
120                         </td>
121                     </tr>
122                     <tr>
123                         <td>
124                             <div align="center"><font face="sans-serif" size="2"><a href="checkout.asp?checkou
tLong=true">Click
125                                 here to check out.</a><br>
126                                 <a href="javascript:history.go(-2)">Click here to go back and continue
shopping.</a></font></div>
127                             </td>
128                         </tr>
129                     </tr>
130                 </tr>

```



```

131         <td>
132             <table width="100%" border="0" cellpadding="1" cellspacing="1">
133                 <tr>
134                     <td width="5%">&nbsp;</td>
135                     <td width="5%"><b><font face="sans-serif" size="2">Quantity</font></b></td>
136                     <td width="62%"><b><font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;&Name
137                         of Item(s)</font></b></td>
138                     <td width="14%"><b><font face="sans-serif" size="2">Price</font></b></td>
139                 </tr>
140                 <%
141 If (NOT noItems) Then
142 
143 i=0
144 While (i <= Ubound(splitItems))
145 %>
146             <%
147 rsProducts.MoveFirst()
148 While (NOT rsProducts.EOF)
149 %>
150                 <%
151 If (CStr(splitItems(i)) = CStr(rsProducts.Fields.Item("ID").Value)) Then
152 %>
153                     <tr>
154                         <form name="form1" method="post" action="">
155                             <td width="5%">
156                                 * <input type="submit" name="Submit" value="Remove &gt;" style="
157                                     border-color: #<%=EP_bordercolor%>;
158                                     border-style: solid;
159                                     font-size: 9pt;
160                                     border-width: 1px;
161                                     background-color: #<%=EP_bgcolor%>;
162                                     color: #<%=EP_text%>;
163                                     cursor: hand;">
164                                 <input type="hidden" name="i_val" value="<%=i%>">
165                             </td>
166                             <td width="5%">
167                                 <div align="center"><font face="sans-serif" size="2"><%=splitQTY(i)%></fon
t></div>
168                                 </td>
169                             <td width="62%"><font face="sans-serif" size="2">&nbsp;&nbsp;&nbsp;&nbsp;&.<%=
(rsProducts.Fields.Item("EP_Pname").Value)%></font></td>
170                             <td width="14%"><font face="sans-serif" size="2"><%=FormatCurrency(rsProduct
s.Fields.Item("EP_Pprice").Value)%></font></td>
171                             <%
172 End If
173 %>
174                         </form>
175                     </tr>
176                     <%
177 rsProducts.MoveNext()
178 Wend
179 %>
180                 <%
181 i=i+1
182 Wend
183 
184 End If
185 %>
186             </table>
187             <font face="sans-serif" size="2"><br>
188             &nbsp;&nbsp;& </font></td>
189         </tr>
190     <tr>
191         <td>
192             <hr color="#<%=EP_bordercolor%>">
193         </td>
194     </tr>
195     <tr>
196         <td>

```

```
97         <div align="center"> </div>
98     </td>
99 </tr>
100 </table>
101 </td>
102 </tr>
103 </table>
104 </body>
105 </html>
106 <%
107 rsProducts.Close()
108 %>
109 <%
110 rsTitleText.Close()
111 %>
112
```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsProducts = Server.CreateObject("ADODB.Recordset")
6  rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
7  rsProducts.Source = "SELECT ID, EP_Pname FROM EP_catalog"
8  rsProducts.CursorType = 0
9  rsProducts.CursorLocation = 2
10 rsProducts.LockType = 3
11 rsProducts.Open()
12 rsProducts_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 ' Create Session variables for Shopping cart.
26 ' Check addToCart status and if true,
27 ' add ID and QTY to Session variables.
28 ' There should be two session vars - ID and QTY
29 ' These will be split on checkout.
30
31 If (Request.Form("addToCart") <> "") Then
32     ' addToCart is okay, now create session vars
33     ' cart_qty is numeric field
34     ' prod_id is ID field (hidden)
35
36     If (Session("ID") <> "") Then
37         'need to detect existing IDs? nah--not right now.
38         Session("ID") = Session("ID") & Request.Form("prod_id") & "|"
39     Else
40         Session("ID") = Request.Form("prod_id") & "|"
41     End If
42
43     If (Session("QTY") <> "") Then
44         'need to detect existing IDs? nah--not right now.
45         Session("QTY") = Session("QTY") & Request.Form("cart_qty") & "|"
46     Else
47         Session("QTY") = Request.Form("cart_qty") & "|"
48     End If
49
50     'Response.Write(Session("QTY") & "<BR>")
51     'Response.Write(Session("ID") & "<BR>")
52     'Session("QTY") = ""
53     'Session("ID") = ""
54     Response.Redirect("cart.asp?newitem=true")
55
56 End If
57
58 %>
59 <%
60 ' *** Recordset Stats, Move To Record, and Go To Record: declare stats variables
61
62 ' set the record count
63 rsProducts_total = rsProducts.RecordCount
64
65 ' set the number of rows displayed on this page
66 If (rsProducts_numRows < 0) Then
67     rsProducts_numRows = rsProducts_total
68 Elseif (rsProducts_numRows = 0) Then
69     rsProducts_numRows = 1

```

```

70 End If
71
72 ' set the first and last displayed record
73 rsProducts_first = 1
74 rsProducts_last = rsProducts_first + rsProducts_numRows - 1
75
76 ' if we have the correct record count, check the other stats
77 If (rsProducts_total <> -1) Then
78     If (rsProducts_first > rsProducts_total) Then rsProducts_first = rsProducts_total
79     If (rsProducts_last > rsProducts_total) Then rsProducts_last = rsProducts_total
80     If (rsProducts_numRows > rsProducts_total) Then rsProducts_numRows = rsProducts_total
81 End If
82 %>
83 <%
84 ' *** Move To Record and Go To Record: declare variables
85
86 Set MM_rs      = rsProducts
87 MM_rsCount     = rsProducts_total
88 MM_size        = rsProducts_numRows
89 MM_uniqueCol   = "ID"
90 MM_paramName   = "ID"
91 MM_offset      = 0
92 MM_atTotal     = false
93 MM_paramIsDefined = false
94 If (MM_paramName <> "") Then
95     MM_paramIsDefined = (Request.QueryString(MM_paramName) <> "")
96 End If
97 %>
98 <%
99 ' *** Move To Specific Record: handle detail parameter
100
101 If (MM_paramIsDefined And MM_rsCount <> 0) Then
102
103     ' get the value of the parameter
104     param = Request.QueryString(MM_paramName)
105
106     ' find the record with the unique column value equal to the parameter value
107     MM_offset = 0
108     Do While (Not MM_rs.EOF)
109         If (Cstr(MM_rs.Fields.Item(MM_uniqueCol).Value) = param) Then
110             Exit Do
111         End If
112         MM_offset = MM_offset + 1
113         MM_rs.MoveNext
114     Loop
115
116     ' if not found, set the number of records and reset the cursor
117     If (MM_rs.EOF) Then
118         If (MM_rsCount < 0) Then MM_rsCount = MM_offset
119         If (MM_size < 0 Or MM_size > MM_offset) Then MM_size = MM_offset
120         MM_offset = 0
121
122         ' reset the cursor to the beginning
123         If (MM_rs.CursorType > 0) Then
124             MM_rs.MoveFirst
125         Else
126             MM_rs.Close
127             MM_rs.Open
128         End If
129     End If
130
131 End If
132 %>
133 <%
134 ' *** Move To Record: if we dont know the record count, check the display range
135
136 If (MM_rsCount = -1) Then
137
138     ' walk to the end of the display range for this page

```

```

139 i = MM_offset
140 While (Not MM_rs.EOF And (MM_size < 0 Or i < MM_offset + MM_size))
141     MM_rs.MoveNext
142     i = i + 1
143 Wend
144
145 ' if we walked off the end of the recordset, set MM_rsCount and MM_size
146 If (MM_rs.EOF) Then
147     MM_rsCount = i
148     If (MM_size < 0 Or MM_size > MM_rsCount) Then MM_size = MM_rsCount
149 End If
150
151 ' if we walked off the end, set the offset based on page size
152 If (MM_rs.EOF And Not MM_paramIsDefined) Then
153     If (MM_offset > MM_rsCount - MM_size Or MM_offset = -1) Then
154         If ((MM_rsCount Mod MM_size) > 0) Then
155             MM_offset = MM_rsCount - (MM_rsCount Mod MM_size)
156         Else
157             MM_offset = MM_rsCount - MM_size
158         End If
159     End If
160 End If
161
162 ' reset the cursor to the beginning
163 If (MM_rs.CursorType > 0) Then
164     MM_rs.MoveFirst
165 Else
166     MM_rs.Requery
167 End If
168
169 ' move the cursor to the selected record
170 i = 0
171 While (Not MM_rs.EOF And i < MM_offset)
172     MM_rs.MoveNext
173     i = i + 1
174 Wend
175 End If
176 %>
177 <%
178 ' *** Move To Record: update recordset stats
179
180 ' set the first and last displayed record
181 rsProducts_first = MM_offset + 1
182 rsProducts_last = MM_offset + MM_size
183 If (MM_rsCount <> -1) Then
184     If (rsProducts_first > MM_rsCount) Then rsProducts_first = MM_rsCount
185     If (rsProducts_last > MM_rsCount) Then rsProducts_last = MM_rsCount
186 End If
187
188 ' set the boolean used by hide region to check if we are on the last record
189 MM_atTotal = (MM_rsCount <> -1 And MM_offset + MM_size >= MM_rsCount)
190 %>
191 <!--#include file="../../../global.asp" -->
192 <html>
193 <head>
194 <title>Shopping Cart - Specify Quantity</title>
195 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
196 </head>
197 <body bgcolor="#<%= (EP_bgcolor) %>"
198     text="#<%=EP_text%>"
199     link="#<%=EP_link%>"
200     vlink="#<%=EP_vlink%>"
201     alink="#<%=EP_alink%>"
202     leftmargin="3"
203     topmargin="0"
204     marginwidth="0"
205     marginheight="0"
206     background="../../../<%= (EP_bgImg) %>">
207 <!--#include file="../../../banner.asp" -->

```



```

68         <tr>
69             <td colspan="2">
70                 <div align="center">
71                     <input type="submit" name="Submit" value="Click here to add this to your
Shopping Cart" style="
72                         border-color: #<%=EP_bordercolor%>;
73                         border-style: groove;
74                         border-width: 3px;
75                         background-color: #<%=EP_bgcolor%>;
76                         color: #<%=EP_text%>;
77                         cursor: hand;">
78                     <input type="hidden" name="addToCart" value="true">
79                 </div>
80             </td>
81         </tr>
82     </table>
83 </form>
84 </td>
85 </tr>
86 <tr>
87     <td>
88         <hr color="#<%=EP_bordercolor%>">
89     </td>
90 </tr>
91 <tr>
92     <td>
93         <div align="center"> </div>
94     </td>
95 </tr>
96 </table>
97 </td>
98 </tr>
99 </table>
100 </body>
101 </html>
102 <%
103 rsProducts.Close()
104 %>
105 <%
106 rsTitleText.Close()
107 %>
108

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsProducts = Server.CreateObject("ADODB.Recordset")
6  rsProducts.ActiveConnection = MM_dbEPakRecords_STRING
7  rsProducts.Source = "SELECT ID, EP_Pname, EP_Pprice FROM EP_catalog"
8  rsProducts.CursorType = 0
9  rsProducts.CursorLocation = 2
10 rsProducts.LockType = 3
11 rsProducts.Open()
12 rsProducts_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 If (Request.Form("checkout") <> "") Then
26
27     Response.Redirect("checkout.asp?checkout=true")
28
29 End If
30 %>
31 <%
32     ' cart_qty is numeric field
33     ' prod_id is ID field (hidden)
34 If (Session("QTY") <> "" AND Session("ID") <> "") Then
35     itemsStr = Session("ID")
36     qtyStr = Session("QTY")
37
38     splitItems = Split(itemsStr, "|")
39     splitQTY = Split(qtyStr, "|")
40
41 End If
42
43 If (Session("QTY") = "") Then
44     noItems = true
45 End If
46 %>
47 <!--#include file="../../global.asp" -->
48 <html>
49 <head>
50 <title>Shopping Cart</title>
51 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
52 </head>
53 <body bgcolor="#<%= (EP_bgcolor) %>"
54     text="#<%=EP_text%>"
55     link="#<%=EP_link%>"
56     vlink="#<%=EP_vlink%>"
57     alink="#<%=EP_alink%>"
58     leftmargin="3"
59     topmargin="0"
60     marginwidth="0"
61     marginheight="0"
62     background="../../<%= (EP_bgImg) %>"
63 <!--#include file="../../banner.asp" -->
64 <br>
65 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
66 >
67     <tr>
68         <td>
69             <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>"

```



```
97         </tr>
98     </tr>
99         <td>
00             <div align="center"> </div>
01         </td>
02     </tr>
03 </table>
04 </td>
05 </tr>
06 </table>
07 </body>
08 </html>
09 <%
10 rsProducts.Close()
11 %>
12 <%
13 rsTitleText.Close()
14 %>
15
```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="../../../Connections/dbEPakRecords.asp" -->
3  <!--#include file="../../../Connections/dbEPakLibs.asp" -->
4  <%
5  set rsAboutAdmin = Server.CreateObject("ADODB.Recordset")
6  rsAboutAdmin.ActiveConnection = MM_dbEPakRecords_STRING
7  rsAboutAdmin.Source = "SELECT * FROM about"
8  rsAboutAdmin.CursorType = 0
9  rsAboutAdmin.CursorLocation = 2
10 rsAboutAdmin.LockType = 3
11 rsAboutAdmin.Open()
12 rsAboutAdmin_numRows = 0
13 %>
14 <%
15 set rsTitleText = Server.CreateObject("ADODB.Recordset")
16 rsTitleText.ActiveConnection = MM_dbEPakLibs_STRING
17 rsTitleText.Source = "SELECT * FROM titleText"
18 rsTitleText.CursorType = 0
19 rsTitleText.CursorLocation = 2
20 rsTitleText.LockType = 3
21 rsTitleText.Open()
22 rsTitleText_numRows = 0
23 %>
24 <%
25 aboutStr = rsAboutAdmin.Fields.Item("EP_aboutTXT").Value
26
27 aboutSplit = Split(aboutStr, VBCrLf)
28 aboutJoin = Join(aboutSplit, "<BR>")
29 %>
30
31 <!--#include file="../../../global.asp" -->
32 <html>
33 <head>
34 <title>About Us</title>
35 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
36 </head>
37 <body bgcolor="#<%= (EP_bgcolor) %>"
38     text="#<%=EP_text%>"
39     link="#<%=EP_link%>"
40     vlink="#<%=EP_vlink%>"
41     alink="#<%=EP_alink%>"
42     leftmargin="3"
43     topmargin="0"
44     marginwidth="0"
45     marginheight="0"
46     background="../../../<%= (EP_bgImg) %>">
47 <!--#include file="../../../banner.asp" -->
48 <br>
49 <table width="500" border="1" align="center" bordercolor="#<%=EP_bordercolor%>" cellpadding="0"
50 >
51     <tr>
52     <td>
53         <table width="100%" border="0" align="center" bgcolor="#<%=EP_bgcolor%>">
54             <tr>
55                 <td align="center">
56
57                     <%
58                     'check to see which Title Text file is selected
59                     cycleDone = false
60                     Dim titleTextFile
61
62                     While (NOT rsTitleText.EOF)
63
64                         If (rsTitleText.Fields.Item("EP_isSelected").Value = "True") Then
65                             titleTextFile = rsTitleText.Fields.Item("EP_titleTextFile").Value
66                         End If
67                         rsTitleText.MoveNext
68                     Wend
69                     %>

```

```

69         <object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" codebase="http:
//download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=4,0,2,0" width="480" height="40">
70             <param name="movie" value="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>About Us</FONT></P>">
71             <param name=quality value=high>
72             <param name=wmode value=transparent>
73             <embed src="../../../banners/titleText/<%= (titleTextFile) %>?txt=<P ALIGN='CENTER'><FONT COLOR='#<%=EP_text%>'>About Us</FONT></P>" quality=high pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-flash" width="480" height="40">
74             </embed>
75         </object>
76     </td>
77 </tr>
78 <tr>
79     <td>
80         <hr color="#<%=EP_bordercolor%>">
81     </td>
82 </tr>
83 <tr>
84     <td>
85         <div align="center"></div>
86         <div align="left"><font face="sans-serif" size="2"><%= (aboutJoin) %></font></div>
87     </td>
88 </tr>
89 <tr>
90     <td>
91         <hr color="#<%=EP_bordercolor%>">
92     </td>
93 </tr>
94 <tr>
95     <td>
96         <div align="center"> </div>
97     </td>
98 </tr>
99 </table>
100 </td>
101 </tr>
102 </table>
103 </body>
104 </html>
105 <%
106 rsAboutAdmin.Close()
107 %>
108 <%
109 rsTitleText.Close()
110 %>
111

```

```

1  <%@LANGUAGE="VBSCRIPT"%>
2  <!--#include file="Connections/dbEPakAppearance.asp" -->
3  <!--#include file="Connections/dbEPakRecords.asp" -->
4  <%
5
6  ' This is the setup file for the public portion of E-Pack.
7  ' It creates Application variables, such as colors, images, etc.
8  ' The web counter is also contained within this page.
9
10 %>
11 <%
12 set rsColors = Server.CreateObject("ADODB.Recordset")
13 rsColors.ActiveConnection = MM_dbEPakAppearance_STRING
14 rsColors.Source = "SELECT * FROM colors"
15 rsColors.CursorType = 0
16 rsColors.CursorLocation = 2
17 rsColors.LockType = 3
18 rsColors.Open()
19 rsColors_numRows = 0
20 %>
21 <%
22 set rsVariables = Server.CreateObject("ADODB.Recordset")
23 rsVariables.ActiveConnection = MM_dbEPakAppearance_STRING
24 rsVariables.Source = "SELECT * FROM variables"
25 rsVariables.CursorType = 0
26 rsVariables.CursorLocation = 2
27 rsVariables.LockType = 3
28 rsVariables.Open()
29 rsVariables_numRows = 0
30 %>
31 <%
32 set rsImages = Server.CreateObject("ADODB.Recordset")
33 rsImages.ActiveConnection = MM_dbEPakAppearance_STRING
34 rsImages.Source = "SELECT * FROM images"
35 rsImages.CursorType = 0
36 rsImages.CursorLocation = 2
37 rsImages.LockType = 3
38 rsImages.Open()
39 rsImages_numRows = 0
40 %>
41 <%
42 set rsPages = Server.CreateObject("ADODB.Recordset")
43 rsPages.ActiveConnection = MM_dbEPakAppearance_STRING
44 rsPages.Source = "SELECT * FROM pages"
45 rsPages.CursorType = 0
46 rsPages.CursorLocation = 2
47 rsPages.LockType = 3
48 rsPages.Open()
49 rsPages_numRows = 0
50 %>
51 <%
52 set rsLogoFile = Server.CreateObject("ADODB.Recordset")
53 rsLogoFile.ActiveConnection = MM_dbEPakAppearance_STRING
54 rsLogoFile.Source = "SELECT * FROM logo"
55 rsLogoFile.CursorType = 0
56 rsLogoFile.CursorLocation = 2
57 rsLogoFile.LockType = 3
58 rsLogoFile.Open()
59 rsLogoFile_numRows = 0
60 %>
61 <%
62 set rsWebCounter = Server.CreateObject("ADODB.Recordset")
63 rsWebCounter.ActiveConnection = MM_dbEPakRecords_STRING
64 rsWebCounter.Source = "SELECT * FROM webCounter"
65 rsWebCounter.CursorType = 0
66 rsWebCounter.CursorLocation = 2
67 rsWebCounter.LockType = 3
68 rsWebCounter.Open()
69 rsWebCounter_numRows = 0

```

```

70 %>
71 <%
72 ' set current web count variable
73 webCount = rsWebCounter.Fields.Item("EPak_webCounter").Value + 1
74
75 ' create SQL Query statement
76 webCountQuery = "update webCounter set EPak_webCounter = " & webCount & " where ID = 1"
77
78 ' execute Web Counter update query
79 Set EP_webCount = Server.CreateObject("ADODB.Command")
80 EP_webCount.ActiveConnection = MM_dbEPakRecords_STRING
81 EP_webCount.CommandText = webCountQuery
82 EP_webCount.Execute
83 EP_webCount.ActiveConnection.Close
84
85 %>
86 <%
87 set rsBackgroundImage = Server.CreateObject("ADODB.Recordset")
88 rsBackgroundImage.ActiveConnection = MM_dbEPakAppearance_STRING
89 rsBackgroundImage.Source = "SELECT * FROM background"
90 rsBackgroundImage.CursorType = 0
91 rsBackgroundImage.CursorLocation = 2
92 rsBackgroundImage.LockType = 3
93 rsBackgroundImage.Open()
94 rsBackgroundImage_numRows = 0
95 %>
96 <%
97 set rsMenuBackgroundImage = Server.CreateObject("ADODB.Recordset")
98 rsMenuBackgroundImage.ActiveConnection = MM_dbEPakAppearance_STRING
99 rsMenuBackgroundImage.Source = "SELECT * FROM background_menu"
100 rsMenuBackgroundImage.CursorType = 0
101 rsMenuBackgroundImage.CursorLocation = 2
102 rsMenuBackgroundImage.LockType = 3
103 rsMenuBackgroundImage.Open()
104 rsMenuBackgroundImage_numRows = 0
105 %>
106 <%
107 set rsAdminTitle = Server.CreateObject("ADODB.Recordset")
108 rsAdminTitle.ActiveConnection = MM_dbEPakRecords_STRING
109 rsAdminTitle.Source = "SELECT EP_clientBizName FROM adminInfo"
110 rsAdminTitle.CursorType = 0
111 rsAdminTitle.CursorLocation = 2
112 rsAdminTitle.LockType = 3
113 rsAdminTitle.Open()
114 rsAdminTitle_numRows = 0
115 %>
116 <%
117 ' Set Application Color variables
118 ' (I know for certain that these are used--not sure about epak_text)
119 Application("epak_bgcolor") = rsColors.Fields.Item("epak_bgcolor").Value
120 Application("epak_text") = rsColors.Fields.Item("epak_text").Value
121 Application("epak_link") = rsColors.Fields.Item("epak_link").Value
122 Application("epak_vlink") = rsColors.Fields.Item("epak_vlink").Value
123 Application("epak_alink") = rsColors.Fields.Item("epak_alink").Value
124 Application("epak_borderColor") = rsColors.Fields.Item("epak_borderColor").Value
125 Application("epak_highlight") = rsColors.Fields.Item("epak_highlight").Value
126
127 'Images **NOTE** Check to see if these are used
128 Application("epak_logoImg") = rsLogoFile.Fields.Item("EP_logoFile").Value
129 Application("epak_logoAlt") = rsImages.Fields.Item("epak_logoAlt").Value
130 Application("epak_bgImg") = rsBackgroundImage.Fields.Item("EPak_bgImage").Value
131 Application("epak_menubgImg") = rsMenuBackgroundImage.Fields.Item("EPak_MenuBackground").Value
132
133 ' Available pages (returned value is boolean)
134 ' ***NOTE*** I don't think these are used anywhere
135 Application("epak_pgNews") = rsPages.Fields.Item("epak_news").Value
136 Application("epak_pgCatalog") = rsPages.Fields.Item("epak_catalog").Value
137 Application("epak_pgContact") = rsPages.Fields.Item("epak_contact").Value
138 Application("epak_pgSearch") = rsPages.Fields.Item("epak_search").Value

```

```

39 'Application("epak_pgMsgBoard") = rsPages.Fields.Item("epak_msgboard").Value
40 'Application("epak_pgCompany") = rsPages.Fields.Item("epak_company").Value
41 'Application("epak_pgSurvey") = rsPages.Fields.Item("epak_survey").Value
42 'Application("epak_pgComments") = rsPages.Fields.Item("epak_comments").Value
43 'Application("epak_pgCounter") = rsPages.Fields.Item("epak_counter").Value
44 'Application("epak_pgFAQ") = rsPages.Fields.Item("epak_faq").Value
45
46 ' Other Variables ***NOTE**(I don't think these are ever used...)
47 Application("epak_counterOn") = rsVariables.Fields.Item("epak_counterOn").Value
48 Application("epak_bgImgOn") = rsVariables.Fields.Item("epak_bgImgOn").Value
49 Application("epak_globalFontType") = rsVariables.Fields.Item("epak_globalFontType").Value
50 Application("epak_globalFontSize") = rsVariables.Fields.Item("epak_globalFontSize").Value
51 Application("epak_globalLinkType") = rsVariables.Fields.Item("epak_globalLinkType").Value
52 Application("epak_globalLinkSize") = rsVariables.Fields.Item("epak_globalLinkSize").Value
53 Application("epak_globalLinkUnderline") = rsVariables.Fields.Item("epak_globalLinkUnderline").Value
54 Application("epak_globalLinkBold") = rsVariables.Fields.Item("epak_globalLinkBold").Value
55 Application("epak_currencyFormat") = rsVariables.Fields.Item("epak_currencyFormat").Value
56
57 ' EPack Business name (this is used by the home frameset)
58 Application("epak_bizName") = rsAdminTitle.Fields.Item("EP_clientBizName").Value
59
60 ' Need to add template detection here.  If template number is 1
61 ' then go to templates/1/frameset.asp
62 ' If template number is 2, go to templates/2/frameset.asp (etc.)
63
64 ' App variables are set, now direct user to the main page
65 ' FIRST LET'S CLOSE ALL OF OUR RECORDSETS!!  =P
66 %>
67 <%
68 rsColors.Close()
69 %>
70 <%
71 rsVariables.Close()
72 %>
73 <%
74 rsImages.Close()
75 %>
76 <%
77 rsPages.Close()
78 %>
79 <%
80 rsLogoFile.Close()
81 %>
82 <%
83 rsWebCounter.Close()
84 %>
85 <%
86 rsBackgroundImage.Close()
87 %>
88 <%
89 rsMenuBackgroundImage.Close()
90 %>
91 <%
92 rsAdminTitle.Close()
93 %>
94 <%
95 ' Redirecting to our welcome page.  :)
96 Response.Redirect("templates/1/frameset.asp")
97 %>

```


showpage

```
1
2
3 <%
4 ' Converts Application variables into simple EP (prefix) variables
5
6 ' colors
7 If (Application("epak_bgcolor") <> "") Then
8     restart = false
9 Else
10     Response.Redirect("setup.asp")
11 End If
12
13 EP_bgcolor = Application("epak_bgcolor")
14 EP_text = Application("epak_text")
15 EP_link = Application("epak_link")
16 EP_vlink = Application("epak_vlink")
17 EP_alink = Application("epak_alink")
18 EP_bordercolor = Application("epak_borderColor")
19 EP_highlight = Application("epak_highlight")
20
21 ' images
22 EP_logo = Application("epak_logoImg")
23 EP_logoAlt = Application("epak_logoAlt")
24 EP_bgImg = "images/backgrounds/" & Application("epak_bgImg")
25 EP_menuBgImg = "images/backgrounds/" & Application("epak_menuBgImg")
26
27 ' Available Pages
28 EP_pgNews = Application("epak_pgNews")
29 EP_pgCatalog = Application("epak_pgCatalog")
30 EP_pgContact = Application("epak_pgContact")
31 EP_pgSearch = Application("epak_pgSearch")
32 EP_pgMsgBoard = Application("epak_pgMsgBoard")
33 EP_pgCompany = Application("epak_pgCompany")
34 EP_pgSurvey = Application("epak_pgSurvey")
35 EP_pgComments = Application("epak_pgComments")
36 EP_pgCounter = Application("epak_pgCounter")
37 EP_pgFAQ = Application("epak_pgFAQ")
38 EP_pgCoupon = Application("epak_pgCoupon")
39 EP_Coupon = Application("epak_Coupon")
40
41
42 ' misc variables
43 EP_gFontFace = Application("epak_globalFontType")
44 EP_gFontSize = Application("epak_globalFontSize")
45
46 %>
```